



深圳市景晔交通器材有限公司
SHENZHEN GINEYEA TECHNOLOGY CO., LTD.

惠州市景晔科技有限公司
HUIZHOU GINEYEA TECHNOLOGY CO., LTD.

深圳市龙华区观湖街道观城社区宝志工业路6-2号
No.6-2,BaoZhi Industrial Road,Guancheng Community,Guanhu
Street,Longhua District,ShenZhen

惠州市惠阳区镇隆镇皇后村草塘地段力合优科创新基地4号楼
Building 4,Lihe Youke Innovation Base,Caotang Section,Empress
Village,Zhenlong Town,Huiyang District,Huizhou

Tel: +86-755-28158543 / 186-8149-4832

E-mali: zy_99881@163.com

www.gineyea.com



GINEYEA

GINEYEA
Precision Components Manufacture

**20
24**

景晔品类目录

2024



脚踏
Pedals

碗组
Headsets

中轴
B.B.

配件
Accessories

- 安全
Safe
- 稳定
Stable
- 高性价比
High-cost performance

NO:118





品牌愿景

Brand Mission

成为健康运动器材配套服务领域
世界级标杆企业。

Becoming a world-class benchmark
enterprise in the field of health sports
equipment supporting services.

WWW.GINEYEA.COM >>>>

深圳市景晔交通器材有限公司

专业

深圳市景晔交通器材有限公司是一家专业从事自行车、电动车、健身器材等各种零配件集研发、生产和销售与自主品牌OEM服务为一体的大型高新技术企业。

设备

总公司2004年成立,2009年创立自主品牌(GINEYEA)。目前,厂房面积近万平方米,员工近300人。主要设备有CNC数控铣床、数控车床、大型锻造机、冲床,注塑成型机、全自动网带式热处理炉等成套自动化生产设备。

品质

公司通过了国际质量管理体系ISO9001:2015认证、欧盟EN认证,产品并附有相关质量检测报告和SGS环保检测报告;公司内部设有大型品质检验中心和实验室,各种检验设备齐全,可以实现对脚踏、中轴、碗组等各种零件无死角全面品质掌控。

市场

产品主要远销欧洲、美国、东南亚、荷兰、西班牙等国家。同时作为国内大型品牌成车组装厂的供应商,深圳景晔也深受合作伙伴和自行车爱好者好评。

宗旨

为了今后更好的服务于客户、回馈于社会,我们将继续坚持“精益求精,诚信为本,顾客至上,永续经营”的质量方针。在不断提升国际化市场综合竞争力、品牌形象和地位的同时,景晔正与时俱进、展翅高飞,愿与合作伙伴一起谱写新的辉煌篇章!

CONTENTS

01 脚踏
pedals

山地车锁踏 MTB pedals	05
公路车锁踏 Road pedals	09
城市车脚踏 City pedals	20
表演车脚踏 BMX pedals	28
折叠车脚踏 Folding pedals	31
快拆踏板轴 Quick release pedal axle system	33
健身车脚踏 Exercise pedals	34

02 碗组
headsets

内走线碗组 Inside cable route headsets	37
半隐藏碗组 Semi-integrated headsets	44
全隐藏碗组 Integrated headsets	56
外置碗组 External cup headsets	60

03 中轴
Bottom Bracket

螺纹中轴 Thread bottom bracket	68
压入中轴 Press-in bottom bracket	70
方孔中轴 Square bottom bracket	72

04 配件
accessory

筒轴/座管夹 Thru axle/Seat clamp	76
碗组上档块 Headset top cap	78
BB配件 B.B.accessories	79
碗组安装工具 Headsets tools	82
中轴安装工具 Bottom brackets tools	83
BB横截面/分解图 B.B.cross-section drawing	84

05 指南
guide

头管尺寸 Head tube dimensions	85
太阳花安装指南 Star nut installation guide	86
碗组装配分解图 Break down drawing	87
型材 Extrusion body	88
轴心 Axle & Bearings	89



品牌精神

Brand spirit

以用户满意度为核心，以毫不妥协的标准提供稳定的产品服务和极致性能的零配件，打造美好的骑行生活。

Taking user satisfaction as the core, providing stable product services and ultimate performance spare parts with uncompromising standards, creating a beautiful cycling life.

WWW.GINEYEA.COM



/ SHENZHEN GINEYEA TECHNOLOGY CO., LTD.

FOUND

Founded in 2004, Shenzhen Gineyea Technology Co., Ltd. is a professional manufacturer specializing in bicycle pedals, headsets, bottom brackets, seat clamps, bicycle tools, and customized parts.

DEVICE

With advanced CNC machining, stamping, die casting, forging, heat treatment, plastic injection, and other equipment, GINEYEA employs well-established technologies to produce virtually any possible parts.

QUALITY

GINEYEA has established an R&D center and a quality testing laboratory to ensure the products meet high standards of durability, weather resistance, and visual appeal. GINEYEA have obtained ISO 9001:2015 and EN certifications, allowing to implement self-checking procedures for quality control throughout the production process. GINEYEA's products are exported all over the world and are popular among riders.

PURPOSE

Rider's desire, continuously improving. GINEYEA aims to create a better world for cycling.

product line

产品系列

product line

全球骑行爱好者。他们追求更好的骑行体验，对自己的爱车有更高的审美和功能需求。

Global cycling enthusiasts pursue a better riding experience and have a higher aesthetic and functional pursuit of their beloved bicycles.



ROAD



MTB



BMX



CITY



RACE

品牌故事

brand story

一群热爱骑行的年轻人从两轮车外企学成经验后开始自主创业。由于核心技术的垄断，国内品牌认可度较低，决定以修补市场作为切入点，专门为骑行车友打造适配各种车型的零部件。随着DIY趋势的流行，通过各种使用功能提升改进，精巧的造型和绚丽的外观配色逐渐填补了国内市场中高端零部件制造的空白。公司于2009年创立景晔品牌后，在创新和技术的推动下先后推出了多系列优质的产品，成为多项大型自行车比赛的赞助商，并建立景晔车队征战各大赛事。经过多年的持续打磨，景晔品牌不单是两轮车配件的供应商，也是一个推动运动健康生活行业的先行者，深受海内外骑行者的好评。

A group of young people who love cycling started their own businesses after coming out of manufacturing companies with overseas backgrounds. Due to the monopoly of core technologies and low recognition of domestic brands, it has been decided to take repairing the market as a starting point and specifically create components suitable for various vehicle models for cyclists. With the popularity of DIY trend, various functional improvements have been made, and the exquisite design and gorgeous appearance color matching have filled the gap in high-end component manufacturing in the domestic market. After 5 years of continuous polishing, GINEYEA brand was established in 2009. Nowadays, the GINEYEA brand is not only a manufacturer of precision control components, but also a pioneer in promoting the sports and healthy lifestyle industry, highly praised by cyclists at home and abroad.





P301



本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
锁片	CLEAT	MT10	
尺寸	SIZE	86X64X31.5mm	
重量	WEIGHT	346g+48g	



Compatible Cleat
MT10

P20



本体	BODY	A6061锻造	Forging aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
锁片	CLEAT	MT10	
尺寸	SIZE	85X68X34mm	
重量	WEIGHT	358g+48g	



Compatible Cleat
MT10



Single Side Clipless With Platform

PD15



单面锁踏

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
锁片	CLEAT	MT10	
尺寸	SIZE	105X103X22mm	
重量	WEIGHT	535g+48g	

PD15-2

双面锁踏



Compatible Cleat
MT10



PD301



单面锁踏

本体	BODY	ADC10(压铸)	Die casting aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
锁片	CLEAT	MT10	
尺寸	SIZE	102X73X29mm	
重量	WEIGHT	370g+48g	

Single Side Clipless With Platform



Compatible Cleat
MT10



P36



本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
锁片	CLEAT	MT10	
尺寸	SIZE	86.5X83X31.5mm	
重量	WEIGHT	398g+48g	



Compatible Cleat
MT10

P21



本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
锁片	CLEAT	MT10	
尺寸	SIZE	85X68X34mm	
重量	WEIGHT	330g+48g	



Compatible Cleat
MT10



P23



本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
锁片	CLEAT	MT10	
尺寸	SIZE	91X65X34mm	
重量	WEIGHT	360g+48g	



Compatible Cleat
MT10



P22



本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
锁片	CLEAT	MT10	
尺寸	SIZE	81X69X34mm	
重量	WEIGHT	371g+48g	



Compatible Cleat
MT10



PD302



单面
锁踏

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
锁片	CLEAT	MT10	
尺寸	SIZE	103.5X102X30.5mm	
重量	WEIGHT	418g+48g	



Compatible Cleat
MT10



PD303



单面
锁踏

本体	BODY	工程塑胶	Engineering plastics
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	套筒+密封轴承+DU	Bushing+Sealed Bearing+DU
锁片	CLEAT	MT10	
尺寸	SIZE	92.5X95X28.5mm	
重量	WEIGHT	330g+48g	



Compatible Cleat
MT10



P13



本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
锁片	CLEAT	MT10	
尺寸	SIZE	92X92X34mm	
重量	WEIGHT	469g+48g	



Compatible Cleat
MT10



P16




本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
锁片	CLEAT	MT10	
尺寸	SIZE	85X85X40mm	
重量	WEIGHT	410g+48g	



Compatible Cleat
MT10

SHAKEWAVE

P301



Feature

- 减重镂空设计
Lightweight hollow design
- 利落上锁、脱锁，踩、拉、提骑行功率增强
Smooth locking, unlocking, stepping, pulling and increase efficiency
- 圆弧形造型，贴合脚型
Rounded shape to fit the foot



多色可选
Multi-color Optional



P601

本体	BODY	工程塑胶	Engineering plastics
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	套筒+密封轴承+DU	Bushing+Sealed Bearing+DU
尺寸	SIZE	95X94X30mm	95X94X30mm
重量	WEIGHT	291+88g	291+88g



BLUE



ORANGE



GREEN



RED



Cleat NT16



Cleat NT10



Cleat NT12



P602

本体	BODY	工程塑胶	Engineering plastics
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
尺寸	SIZE	86X91X32mm	86X91X32mm
重量	WEIGHT	278+88g	278+88g



Cleat NT16



Cleat NT10



Cleat NT12



P603

本体	BODY	A6061锻造	Forging aluminum
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	套筒+密封轴承+DU	Bushing+Sealed Bearing+DU
尺寸	SIZE	90X93X31mm	90X93X31mm
重量	WEIGHT	328+88g	328+88g

*多种颜色可供选择

P601S

本体	BODY	碳纤	Carbon fiber
轴心	AXLE	钛	Titanium
轴承	BEARING	套筒+密封轴承+DU	Bushing+Sealed Bearing+DU
尺寸	SIZE	88X93X32mm	88X93X32mm
重量	WEIGHT	210g+88g	210g+88g

*多种颜色可供选择



Cleat NT16



Cleat NT10



Cleat NT12



P701S

本体	BODY	碳纤	Carbon fiber
轴心	AXLE	钛	Titanium
轴承	BEARING	套筒+3培林	Bushing+3 Bearing
尺寸	SIZE	91X86.5X35mm	91X86.5X35mm
重量	WEIGHT	249g+70g	249g+70g

P701

本体	BODY	工程塑胶	Engineering plastics
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	套筒+密封轴承+DU	Bushing+Sealed Bearing+DU
重量	WEIGHT	310g+70g	310g+70g



Cleat LT25



K602

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	104X120X21mm	104X120X21mm
重量	WEIGHT	395g	395g



K3121

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	105X98X25mm	105X98X25mm
重量	WEIGHT	322g	322g



K603

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	125X120X23mm	125X120X23mm
重量	WEIGHT	474g	474g

K313

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	103X98X22mm	103X98X22mm
重量	WEIGHT	375g	375g
K313S		3培林	3 Bearings



K399

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	118X125X32mm	118X125X32mm
重量	WEIGHT	527g	527g



K607

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	108X98X26mm	108X98X26mm
重量	WEIGHT	337g	337g



K302

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	106.5X98X26.5mm	106.5X98X26.5mm
重量	WEIGHT	351g	351g

K615

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	108X106X25mm	108X106X25mm
重量	WEIGHT	308g	308g
K615S		3培林	3 Bearings





K371

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉,反光片	Replaceable Grip Pins,Reflector
尺寸	SIZE	105X98X23mm	105X98X23mm
重量	WEIGHT	305g	305g



K620

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	108X110X26mm	108X110X26mm
重量	WEIGHT	351g	351g



K619

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	101X101X22mm	101X101X22mm
重量	WEIGHT	288g	288g
K619S		3培林	3 Bearings



K622

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	111X109X23mm	111X109X23mm
重量	WEIGHT	377g	377g



K616

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	111X110X23mm	111X110X23mm
重量	WEIGHT	358g	358g
K616S		3培林	3 Bearings



K307

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	105X99X23mm	105X99X23mm
重量	WEIGHT	304g	304g
K307S		3培林	3 Bearings
K307P		带反光片	Reflector



K203

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	107X100X20mm	107X100X20mm
重量	WEIGHT	298g	298g



K370

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉,反光片	Replaceable Grip Pins,Reflector
尺寸	SIZE	105X98X22mm	105X98X22mm
重量	WEIGHT	265g	265g



M504



本体	BODY	ADC10(压铸),反光片	Die casting aluminum,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	滚珠轴承	Ball bearings
尺寸	SIZE	103X97X25mm	103X97X25mm
重量	WEIGHT	400g	400g
		M504DU	2DU

M905



本体	BODY	工程塑胶	Engineering plastics
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	2DU	2DU
尺寸	SIZE	106X105X25mm	106X105X25mm
重量	WEIGHT	273g	273g



M509



本体	BODY	ADC10(压铸),反光片	Die casting aluminum,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	滚珠轴承	Ball bearings
尺寸	SIZE	110X98X27mm	110X98X27mm
重量	WEIGHT	432g	432g



M904



本体	BODY	工程塑胶,反光片	Engineering plastics,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	滚珠轴承	Ball Bearings
尺寸	SIZE	106X97X24mm	106X97X24mm
重量	WEIGHT	295g	295g

M501



本体	BODY	ADC10(压铸),反光片	Die casting aluminum,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	滚珠轴承	Ball Bearings
尺寸	SIZE	109X100X34mm	109X100X34mm
重量	WEIGHT	423g	423g



M952



本体	BODY	工程塑胶,铝边框 反光片	Engineering plastics Alloy cage,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	滚珠轴承	Ball Bearings
尺寸	SIZE	100X71X30mm	100X71X30mm
重量	WEIGHT	355g	355g

M523



本体	BODY	ADC10(压铸),铝边框 反光片	Die casting aluminum Alloy cage,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	2DU	2DU
尺寸	SIZE	101X76X24mm	101X76X24mm
重量	WEIGHT	275g	275g



M953



本体	BODY	工程塑胶,铝边框 反光片	Engineering plastics Alloy cage,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	滚珠轴承	Ball Bearings
尺寸	SIZE	118X79X22mm	118X79X22mm
重量	WEIGHT	390g	390g



M515Z



本体	BODY	ADC10(压铸),反光片	Die casting aluminum,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	2DU	2DU
尺寸	SIZE	86X80X21mm	86X80X21mm
重量	WEIGHT	228g	228g



M515



本体	BODY	ADC10(压铸),反光片	Die casting aluminum,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	2DU	2DU
尺寸	SIZE	86X80X21mm	86X80X21mm
重量	WEIGHT	226g	226g



M920



本体	BODY	工程塑胶,反光片	Engineering plastics,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	滚珠轴承	Ball Bearing
尺寸	SIZE	87X69X30mm	87X69X30mm
重量	WEIGHT	260g	260g



M932



本体	BODY	工程塑胶,反光片	Engineering plastics,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	无轴承	Without Bearing
尺寸	SIZE	91X66X24mm	91X66X24mm
重量	WEIGHT	175g	175g

M933

尺寸	SIZE	69X59X23mm
----	------	------------

M922



本体	BODY	工程塑胶	Engineering plastics
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	无轴承	Without Bearing
尺寸	SIZE	86X80X22mm	86X80X22mm
重量	WEIGHT	167g	167g



K203EA



本体	BODY	A6061(CNC),反光片	Extruded CNC-machined aluminum Reflector
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	83X102X25mm	83X102X25mm
重量	WEIGHT	306g	306g





K303EA

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum Reflector
轴心	AXLE	铝-7075CNC加工	CNC-machined alloy-7075
轴承	BEARING	2DU	2DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	74X98X26mm	74X98X26mm
重量	WEIGHT	161g	161g



K349

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	81X82X20mm	81X82X20mm
重量	WEIGHT	252g	252g
K349S		3培林	3 Bearings

K349-2

尺寸	SIZE	92X82X20mm	92X82X20mm
重量	WEIGHT	274g	274g
K349-2S		3培林	3 Bearings



K320

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
尺寸	SIZE	87X62X22mm	87X62X22mm
重量	WEIGHT	236g	236g
K349S		3培林	3 Bearings



K322

本体	BODY	A6061(CNC) 反光片	Extruded,CNC-machined aluminum Reflector
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
尺寸	SIZE	92X62X22mm	92X62X22mm
重量	WEIGHT	241g	241g



K346

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	99X105X23mm	99X105X23mm
重量	WEIGHT	332g	332g
K346S		3培林	3 Bearings



K340

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	100X98X26mm	100X98X26mm
重量	WEIGHT	307g	307g
K340S		3培林	3 Bearings

K3462

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	93X82X20mm	93X82X20mm
重量	WEIGHT	238g	238g



K3463

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	87X82X20mm	87X82X20mm
重量	WEIGHT	239g	239g



K618

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	磨砂面	Sand Paper
尺寸	SIZE	104X85X22mm	104X85X22mm
重量	WEIGHT	428g	428g

M935

本体	BODY	工程塑胶,反光片	Engineering plastics,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	滚珠轴承	Ball Bearings
其他	OTHER	磨砂面	Sand Paper
尺寸	SIZE	104X91X24mm	104X91X24mm
重量	WEIGHT	244g	244g
M935DU		2DU	2DU



K624

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
尺寸	SIZE	101X85X20mm	101X85X20mm
重量	WEIGHT	330g	330g
K624P		带反光片	Reflector



M921DU

本体	BODY	工程塑胶,反光片	Engineering plastics,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	2DU	2DU
尺寸	SIZE	106X94X22mm	106X94X22mm
重量	WEIGHT	254g	254g

M921

轴心	AXLE	Cr-Mo	Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
重量	WEIGHT	297g	297g



K625

本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
尺寸	SIZE	106X100X18mm	106X100X18mm
重量	WEIGHT	305g	305g

M907

本体	BODY	工程塑胶	Engineering plastics
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	104X94X19mm	104X94X19mm
重量	WEIGHT	292g	292g



K504

本体	BODY	ADC10(压铸),反光片	Die casting aluminum,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
尺寸	SIZE	103X97X25mm	103X97X25mm
重量	WEIGHT	398g	398g



M903

本体	BODY	工程塑胶,反光片	Engineering plastics,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	滚珠轴承	Ball Bearings
尺寸	SIZE	107X86X30mm	107X86X30mm
重量	WEIGHT	284g	284g



M511

本体	BODY	ADC10(压铸),反光片	Die casting aluminum,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	2DU	2DU
尺寸	SIZE	110X100X19mm	110X100X19mm
重量	WEIGHT	228g	228g
		K511P	Bearing+DU

M511Z

本体	BODY	ADC10(压铸),反光片	Die casting aluminum,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	2DU	2DU
尺寸	SIZE	110X100X19mm	110X100X19mm
重量	WEIGHT	280g	280g



M506P

本体	BODY	ADC10(压铸),反光片	Die casting aluminum,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	2DU	2DU
尺寸	SIZE	84X95X18.5mm	84X95X18.5mm
重量	WEIGHT	260g	260g

M506

尺寸	SIZE	84X95X20mm	84X95X20mm
重量	WEIGHT	268g	268g



M513

本体	BODY	ADC10(压铸),反光片	Die casting aluminum,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	2DU	2DU
尺寸	SIZE	95X76X21mm	95X76X21mm
重量	WEIGHT	294g	294g



M505

本体	BODY	ADC10(压铸)	Die casting aluminum
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	2DU	2DU
尺寸	SIZE	108X100X20mm	108X100X20mm
重量	WEIGHT	305g	305g

M505P

本体	BODY	ADC10(压铸),反光片	Die casting aluminum,Reflector
尺寸	SIZE	109X100X19mm	109X100X19mm
重量	WEIGHT	330g	330g



M531

本体	BODY	ADC10(压铸),反光片	Die casting aluminum,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
尺寸	SIZE	92X95X22mm	92X95X22mm
重量	WEIGHT	310g	310g
		M531DU	2DU



M522

本体	BODY	ADC10(压铸) 反光片,铝边框	Die casting aluminum Reflector,Alloy cage
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
尺寸	SIZE	90X80X24mm	90X80X24mm
重量	WEIGHT	283g	283g

M908

本体	BODY	工程塑胶,反光片	Engineering plastics,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	2DU	2DU
尺寸	SIZE	109X100X22mm	109X100X22mm
重量	WEIGHT	230g	230g



M930

本体	BODY	工程塑胶,反光片	Engineering plastics,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	滚珠轴承	Ball Bearing
尺寸	SIZE	97X78X30mm	97X78X30mm
重量	WEIGHT	276g	276g



M512

本体	BODY	ADC10(压铸),反光片	Die casting aluminum,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	滚珠轴承	Ball bearings
尺寸	SIZE	102X80X26mm	102X80X26mm
重量	WEIGHT	392g	392g

M906

本体	BODY	工程塑胶	Engineering plastics
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	120X106X18mm	120X106X18mm
重量	WEIGHT	309g	309g



M918

本体	BODY	工程塑胶,反光片	Engineering plastics,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	滚珠轴承	Ball bearings
尺寸	SIZE	102X70X23mm	102X70X23mm
重量	WEIGHT	398g	398g



M507

本体	BODY	ADC10(压铸),反光片	Die casting aluminum,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	2DU	2DU
尺寸	SIZE	110X82X20mm	110X82X20mm
重量	WEIGHT	320g	320g



M901

本体	BODY	工程塑胶,反光片	Engineering plastics,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	滚珠轴承	Ball bearings
尺寸	SIZE	106X94X30mm	106X94X30mm
重量	WEIGHT	337g	337g

M510

本体	BODY	ADC10(压铸),反光片	Die casting aluminum,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	滚珠轴承	Ball bearings
尺寸	SIZE	108X68X27mm	108X68X27mm
重量	WEIGHT	387g	387g





M610



本体	BODY	ADC10(压铸)	Die casting aluminum
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	2DU	2DU
尺寸	SIZE	96X65X24mm	96X65X24mm
重量	WEIGHT	238g	238g



M608



本体	BODY	ADC10(压铸),反光片	Die casting aluminum,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	2DU	2DU
尺寸	SIZE	108X100X20mm	108X100X20mm
重量	WEIGHT	300g	300g



M909




本体	BODY	工程塑胶,反光片	Engineering Plastics,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	2DU	2DU
尺寸	SIZE	100X98X22mm	100X98X22mm
重量	WEIGHT	260g	260g



K366



本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	102X97X22mm	102X97X22mm
重量	WEIGHT	296g	296g
K366S		3培林	3 Bearings



PINK



PURPLE



BLUE

K608X



本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	112X110X19mm	112X110X19mm
重量	WEIGHT	384g	384g



M993



本体	BODY	工程塑胶	Engineering Plastics
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	112X108X25mm	112X108X25mm
重量	WEIGHT	315g	315g



M996



本体	BODY	工程塑胶	Engineering Plastics
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	112X108X25mm	112X108X25mm
重量	WEIGHT	324g	324g



PURPLE



BLUE



YELLOW



RED

M991



本体	BODY	工程塑胶	Engineering Plastics
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	112X108X25mm	112X108X25mm
重量	WEIGHT	324g	324g
M991S		3培林	3 Bearings



M992



本体	BODY	工程塑胶	Engineering plastics
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	108X112X24mm	108X112X24mm
重量	WEIGHT	349g	349g



K301



本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	109X106X25mm	109X106X25mm
重量	WEIGHT	326g	326g
K301S		3培林	3 Bearings



K303



本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	CNC-machined Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	104X94X26mm	104X94X26mm
重量	WEIGHT	350g	350g
K303S		3培林	3 Bearings



K632



本体	BODY	A6061(CNC)	Extruded,CNC-machined aluminum
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	密封轴承+DU	Sealed Bearing+DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	103X110X23mm	103X110X23mm
重量	WEIGHT	359g	359g



K503F



本体	BODY	A6061(CNC) 反光片	Extruded,CNC-machined aluminum Reflector
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	2DU	2DU
尺寸	SIZE	100X72X25mm	100X72X25mm
重量	WEIGHT	368g	368g



K503XF



尺寸	SIZE	100X86X25mm	100X86X25mm
重量	WEIGHT	398g	398g



K502F



本体	BODY	A6061(CNC) 工程塑胶,反光片	Extruded,CNC-machined aluminum Engineering plastics,Reflector
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	2DU	2DU
尺寸	SIZE	99X72X25mm	99X72X25mm
重量	WEIGHT	360g	360g

K500F



本体	BODY	A6061(CNC) 反光片	Extruded,CNC-machined aluminum Reflector
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	2DU	2DU
其他	OTHER	可替换防滑钉	Replaceable Grip Pins
尺寸	SIZE	98X72X24mm	98X72X24mm
重量	WEIGHT	415g	415g



K505F



本体	BODY	A6061(CNC),铝边框 反光片	Extruded,CNC-machined aluminum Reflector
轴心	AXLE	铬钼钢	Cr-Mo
轴承	BEARING	2DU	2DU
尺寸	SIZE	104X76X25mm	104X76X25mm
重量	WEIGHT	398g	398g

K505XF



尺寸	SIZE	104X82X25mm	104X82X25mm
重量	WEIGHT	420g	420g



M962F



本体	BODY	工程塑胶,反光片	Engineering plastics,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	散珠	Ball Bearing
尺寸	SIZE	110X72X27mm	110X72X27mm
重量	WEIGHT	372g	372g
		M962F DU	2DU

M960F



本体	BODY	工程塑胶,反光片	Engineering plastics,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	散珠	Ball Bearing
尺寸	SIZE	110X72X31mm	110X72X31mm
重量	WEIGHT	289g	289g
		M960F DU	2DU



M961F



本体	BODY	ADC10(压铸) 工程塑胶,反光片	Die casting aluminum Engineering plastics,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	散珠	Ball Bearing
尺寸	SIZE	110X69X28mm	110X69X28mm
重量	WEIGHT	375g	375g



M965F




本体	BODY	工程塑胶,反光片	Engineering plastics,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	2DU	2DU
尺寸	SIZE	100X74X29mm	100X74X29mm
重量	WEIGHT	295g	295g

M970F

本体	BODY	ADC10(压铸),反光片	Die casting aluminum,Reflector
----	------	---------------	--------------------------------





安装步骤 INSTALLATION STEPS


- 1 区别"L"和"R",然后把快拆锁头紧锁在曲柄上
Distinguish "L" and "R" and take the thread adapter screw to the crank tightly.
- 2 推动快拆锁头朝向曲柄一侧,把脚踏本体插入快拆锁头
Push the adapter towards crank side,Put pedal body insert to adapter.
- 3 释放快拆锁头的弹簧实现安装
Release the adapter.



高精度CNC加工轴



铝盖



拆卸步骤 REMOVAL STEPS

- 1 确保脚踏固定在快拆锁头上
Make sure pedal fixed on adapter.
- 2 推动快拆锁头朝曲柄方向
Push the adapter towards crank side.
- 3 将脚踏从快拆锁头中拿出
Put pedal body out of the adapter.



k3462F



k349F



k3463F

存储支架 STORAGE MOUNT

折叠自行车可以取下踏板并安装到储物架上
When folding bike can take off the pedals and install to storage mount.

调节螺母可以让支架夹在任何你想要的位置
Adjustment nut allows the holder to be clamped in any position you want.



G-01

YP02



本体	BODY	工程塑胶	Engineering plastics
尺寸	SIZE	129X90X105mm	129X90X105mm
重量	WEIGHT	189g	189g



安装示意 INSTALLATION METHOD

- 1 将调节带安装在脚束上
Put strap on the adapter



- 2 将锁踏扣片紧密安装到脚束的锁片
Fasten the adapter on the pedal



- 3 穿着锁鞋调整脚束位置
Adjust the strap



拆卸示意 DISASSEMBLE METHOD

- 4 调整带子把张力调到最紧, 松开螺丝即可卸下踏板
Adjust the tension to the tightest,Remove the pedals easily by loosening screws





M609

本体	BODY	ADC10(压铸),反光片	Die casting aluminum,Reflector
轴心	AXLE	硼钢	Boron steel
轴承	BEARING	2DU	2DU
尺寸	SIZE	103X108X23mm	103X108X23mm
重量	WEIGHT	340g	340g



M609-Y5

本体	BODY	ADC10(压铸),反光片	Die casting aluminum,Reflector
尺寸	SIZE	103X108X23mm	103X108X23mm
重量	WEIGHT	340g	340g



M609



YP05



Strap



M609-Y3

本体	BODY	ADC10(压铸),反光片	Die casting aluminum,Reflector
尺寸	SIZE	103X108X23mm	103X108X23mm
重量	WEIGHT	340g	340g



M609



YP03



Strap

HEADSET 碗组



半隐藏碗组
Semi-integrated Headsets

穿线碗组
Inside Cable Route Headsets

全隐藏碗组
Integrated Headsets

外置碗组
External Cup Headsets



T06

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	ZS28.6/56 ZS56/30or39.8	ZS28.6/56 ZS56/30or39.8
高度	S.HEIGHT	17.5+2.8=20.3+1mm	17.5+2.8=20.3+1mm
重量	WEIGHT	141g	141g



T02A

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	IS28.6/52 IS52/30or39.8	IS28.6/52 IS52/30or39.8
高度	S.HEIGHT	25.8+1=26.8+1mm	25.8+1=26.8+1mm
重量	WEIGHT	136g	136g

T04

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	ZS28.6/44 ZS56/30or39.8	ZS28.6/44 ZS56/30or39.8
高度	S.HEIGHT	17+3=20+1mm	17+3=20+1mm
重量	WEIGHT	127g	127g

T05

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	IS28.6/52 IS52/30or39.8	IS28.6/52 IS52/30or39.8
高度	S.HEIGHT	10.5+1=11.5+1mm	10.5+1=11.5+1mm
重量	WEIGHT	101g	101g

T09

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	IS28.6/52 IS52/30or39.8	IS28.6/52 IS52/30or39.8
高度	S.HEIGHT	13.7+1=14.7+1mm	13.7+1=14.7+1mm
重量	WEIGHT	110g	110g



T05P

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	IS28.6/52 IS52/30or39.8	IS28.6/52 IS52/30or39.8
高度	S.HEIGHT	5.5+1=6.5+1mm	5.5+1=6.5+1mm
重量	WEIGHT	104g	104g

T07

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	ZS28.6/44 ZS44/30or39.8	ZS28.6/44 ZS44/30or39.8
高度	S.HEIGHT	17+12.5=29.5+1mm	17+12.5=29.5+1mm
重量	WEIGHT	132g	132g

T10

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	ZS28.6/56 ZS56/30or39.8	ZS28.6/56 ZS56/30or39.8
高度	S.HEIGHT	42.7+2.8=45.5+1mm	42.7+2.8=45.5+1mm
重量	WEIGHT	176g	176g



T8000

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	IS28.6/52 IS52/30or39.8	IS28.6/52 IS52/30or39.8
高度	S.HEIGHT	11+1=12+1mm	11+1=12+1mm
重量	WEIGHT	97g	97g



T17

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	ZS28.6/56 ZS66/30or39.8	ZS28.6/56 ZS66/30or39.8
高度	S.HEIGHT	17.8+3=20.8+1mm	17.8+3=20.8+1mm
重量	WEIGHT	169g	169g



T12

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	黑色	BK
材质	MATERIAL	塑胶	Plastics
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	IS28.6/52 IS52/30or39.8	IS28.6/52 IS52/30or39.8
高度	S.HEIGHT	27.58+1.14=28.7+1mm	27.58+1.14=28.7+1mm
重量	WEIGHT	95g	95g



T13

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	IS28.6/52 Z556/30or39.8	IS28.6/52 Z556/30or39.8
高度	S.HEIGHT	10.5+2.8=13.3+1mm	10.5+2.8=13.3+1mm
重量	WEIGHT	95g	95g



T8001

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	IS28.6/52 IS52/30or39.8	IS28.6/52 IS52/30or39.8
高度	S.HEIGHT	15+1=16+1mm	15+1=16+1mm
重量	WEIGHT	102g	102g



T8002

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	IS28.6/52 IS52/30or39.8	IS28.6/52 IS52/30or39.8
高度	S.HEIGHT	16.3+1=17.3+1mm	16.3+1=17.3+1mm
重量	WEIGHT	105g	105g



T15

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	ZS28.6/42 IS52/30or39.8	ZS28.6/42 IS52/30or39.8
高度	S.HEIGHT	17+1=18+1mm	17+1=18+1mm
重量	WEIGHT	114g	114g



T29

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	IS28.6/52 IS52/30or39.8	IS28.6/52 IS52/30or39.8
高度	S.HEIGHT	12+1=13+1mm	12+1=13+1mm
重量	WEIGHT	100g	100g



T16PEM

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	黑色	BK
材质	MATERIAL	塑胶	Plastics
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	IS28.6/52 IS52/30or39.8	IS28.6/52 IS52/30or39.8
高度	S.HEIGHT	37+1=38mm	37+1=38mm
重量	WEIGHT	132g	132g



T18

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	黑色/阳极	BK/AD
材质	MATERIAL	塑胶+铝	Plastics+Aluminum
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	ZS28.6/55 ZS55/30or39.8	ZS28.6/55 ZS55/30or39.8
高度	S.HEIGHT	29.3+2.8=32.1+1mm	29.3+2.8=32.1+1mm
重量	WEIGHT	124g	124g



T186

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	黑色/阳极	BK+AD
材质	MATERIAL	塑胶+铝	Plastics+Aluminum
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	ZS28.6/56 ZS56/30or39.8	ZS28.6/56 ZS56/30or39.8
高度	S.HEIGHT	29.3+2.8=32.1+1mm	29.3+2.8=32.1+1mm
重量	WEIGHT	126g	126g



穿线碗组示意图

Exploded view

垫片
Spacer



垫片
Spacer



顶盖
Rupper cap



束子
Compression ring



轴承
Bearing



上碗
Upper cup




下碗
Lower cup



轴承
Bearing



底档
Race





T192

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	黑色	BK
材质	MATERIAL	塑胶	Plastics
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	IS28.6/52 IS52/30or39.8	IS28.6/52 IS52/30or39.8
高度	S.HEIGHT	31+1=32+1mm	31+1=32+1mm
重量	WEIGHT	129g	129g



T196

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	黑色/阳极	BK/AD
材质	MATERIAL	塑胶+铝	Plastics+Aluminum
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	ZS28.6/56 ZS56/30or39.8	ZS28.6/56 ZS56/30or39.8
高度	S.HEIGHT	32.9+2.8=35.7+1mm	32.9+2.8=35.7+1mm
重量	WEIGHT	157g	157g



T19

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	黑色/阳极	BK+AD
材质	MATERIAL	塑胶+铝	Plastics+Aluminum
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	ZS28.6/55 ZS55/30or39.8	ZS28.6/55 ZS55/30or39.8
高度	S.HEIGHT	32.9+2.8=35.7+1mm	32.9+2.8=35.7+1mm
重量	WEIGHT	154g	154g



T20

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	ZS28.6/55 ZS55/30or39.8	ZS28.6/55 ZS55/30or39.8
高度	S.HEIGHT	42.7+2.8=45.5+1mm	42.7+2.8=45.5+1mm
重量	WEIGHT	175g	175g



GH20

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P03X2)	Sealed Cartridge(P03X2)
规格	DIAMETER	ZS28.6/44 ZS44/30	ZS28.6/44 ZS44/30
高度	S.HEIGHT	7.5+3=10.5mm	7.5+3=10.5mm
重量	WEIGHT	75g+25g	75g+25g



GH20H

高度	S.HEIGHT	19+3=22+1mm
重量	WEIGHT	88g+25g

GH208

高度	S.HEIGHT	10.5+3=13.5+1mm
重量	WEIGHT	88g+25g



GH206

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P03X2)	Sealed Cartridge(P03X2)
规格	DIAMETER	ZS28.6/44 ZS51/30	ZS28.6/44 ZS51/30
高度	S.HEIGHT	7.5+3=10.5+1mm	7.5+3=10.5+1mm
重量	WEIGHT	100g+25g	100g+25g



GH203

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P03X2)	Sealed Cartridge(P03X2)
规格	DIAMETER	ZS28.6/44 ZS49.7/30	ZS28.6/44 ZS49.7/30
高度	S.HEIGHT	7.5+3=10.5+1mm	7.5+3=10.5+1mm
重量	WEIGHT	100g+25g	100g+25g

GH203H

高度	S.HEIGHT	19+3=22+1mm
重量	WEIGHT	113g+25g

SEMI-INTEGRATED HEADSETS



GH202

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P03XP16)	Sealed Cartridge(P03XP16)
规格	DIAMETER	ZS28.6/44 ZS56/30or39.8	ZS28.6/44 ZS56/30or39.8
高度	S.HEIGHT	7.5+2.8=10.3+1mm	7.5+2.8=10.3+1mm
重量	WEIGHT	140g+25g	140g+25g



GH207

规格	DIAMETER	ZS28.6/44 ZS55/30or39.8
高度	S.HEIGHT	7.5+2.8=10.3+1mm
重量	WEIGHT	153g+25g



尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P03XP16)	Sealed Cartridge(P03XP16)
规格	DIAMETER	ZS28.6/44 ZS49.7/30/39.8	ZS28.6/44 ZS49.7/30/39.8
高度	S.HEIGHT	7.5+12.5=20+1mm	7.5+12.5=20+1mm
重量	WEIGHT	140g+25g	140g+25g

重量	WEIGHT	140g+25g	140g+25g
----	--------	----------	----------



A15

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	电镀黑/阳极	ED/AD
材质	MATERIAL	铁+铝	Steel+Aluminum
轴承	BEARING	密封轴承(P03X2)	Sealed Cartridge(P03X2)
规格	DIAMETER	ZS28.6/44 ZS44/30	ZS28.6/44 ZS44/30
高度	S.HEIGHT	7.5+3=10.5+1mm	7.5+3=10.5+1mm
重量	WEIGHT	110g+25g	110g+25g

A16

高度	S.HEIGHT	19+3=22+1mm
重量	WEIGHT	123g+25g

GH230

尺寸	SIZE	1-1/4"to 1-1/2"	1-1/4"to 1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P27XP16)	Sealed Cartridge(P27XP16)
规格	DIAMETER	ZS31.8/44 ZS56/33/39.8	ZS31.8/44 ZS56/33/39.8
高度	S.HEIGHT	10+2.8=12.8+1mm	10+2.8=12.8+1mm
重量	WEIGHT	140g+30g	140g+30g

GH232

规格	DIAMETER	ZS31.8/44 ZS55/33/39.8
高度	S.HEIGHT	10+2.8=12.8+1mm
重量	WEIGHT	153g+30g



GH226

尺寸	SIZE	BC1-1/8"X26T	BC1-1/8"X26T
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P03X2)	Sealed Cartridge(P03X2)
规格	DIAMETER	ZS25.4/44 ZS44/30	ZS25.4/44 ZS44/30
高度	S.HEIGHT	15+3=18+1mm	15+3=18+1mm
重量	WEIGHT	110g	110g

GH226D

高度	S.HEIGHT	25+3=28+1mm
重量	WEIGHT	123g



GH290

尺寸	SIZE	1-1/2"	1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	Z538.1/56 Z556/39.8	Z538.1/56 Z556/39.8
高度	S.HEIGHT	7+2.8=9.8+1mm	7+2.8=9.8+1mm
重量	WEIGHT	150g+35g	150g+35g



GH306

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P03X2)	Sealed Cartridge(P03X2)
规格	DIAMETER	Z528.6/44 Z544/30	Z528.6/44 Z544/30
高度	S.HEIGHT	14.5+3=17.5+1mm	14.5+3=17.5+1mm
重量	WEIGHT	75g+23g	75g+23g

GH302

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P03X2)	Sealed Cartridge(P03X2)
规格	DIAMETER	ZS28.6/44 ZS44/30	ZS28.6/44 ZS44/30
高度	S.HEIGHT	20.5+3=23.5+1mm	20.5+3=23.5+1mm
重量	WEIGHT	85g+23g	85g+23g



GH308

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P03X2)	Sealed Cartridge(P03X2)
规格	DIAMETER	ZS28.6/44 ZS44/30	ZS28.6/44 ZS44/30
高度	S.HEIGHT	11.5+3=14.5+1mm	11.5+3=14.5+1mm
重量	WEIGHT	70g+23g	70g+23g

GH122

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	电镀黑/阳极	ED/AD
材质	MATERIAL	铁+铝	Steel+Aluminum
轴承	BEARING	类培林(P414XP44)	Semi-Cartridge(P414XP44)
规格	DIAMETER	ZS28.6/41.4 ZS44/30	ZS28.6/41.4 ZS44/30
高度	S.HEIGHT	7.5+3=10.5+1mm	7.5+3=10.5+1mm
重量	WEIGHT	85g+25g	85g+25g

GH122H

高度	S.HEIGHT	18+2.5=20.5+1mm
重量	WEIGHT	98g+25g



GH112

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	电镀黑/阳极	ED/AD
材质	MATERIAL	铁+铝	Steel+Aluminum
轴承	BEARING	类培林(P414X2)	Semi-Cartridge(P414X2)
规格	DIAMETER	ZS28.6/41.4 ZS41.4/30	ZS28.6/41.4 ZS41.4/30
高度	S.HEIGHT	7.5+2.5=10+1mm	7.5+2.5=10+1mm
重量	WEIGHT	75g+25g	75g+25g

GH112H

高度	S.HEIGHT	18+2.5=20.5+1mm
重量	WEIGHT	88g+25g

GH189

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	电镀黑/阳极	ED/AD
材质	MATERIAL	铁+铝	Steel+Aluminum
轴承	BEARING	类培林(P44X2)	Semi-Cartridge(P44X2)
规格	DIAMETER	Z528.6/44 Z544/30	Z528.6/44 Z544/30
高度	S.HEIGHT	19+3=22+1mm	19+3=22+1mm
重量	WEIGHT	120g+25g	120g+25g

GH189PM

表面	FINISH	电镀黑	ED	高度	S.HEIGHT	19+3=22+1mm
材质	MATERIAL	塑胶+铁	Plastics+Steel	重量	WEIGHT	112g

GH168

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	电镀黑/阳极	ED/AD
材质	MATERIAL	铁+铝	Steel+Aluminum
轴承	BEARING	类培林(P44X2)	Semi-Cartridge(P44X2)
规格	DIAMETER	ZS28.6/44 ZS44/30	ZS28.6/44 ZS44/30
高度	S.HEIGHT	5.5+3=8.5+1mm	5.5+3=8.5+1mm
重量	WEIGHT	100g+25g	100g+25g

GH187

高度	S.HEIGHT	10.5+3=13.5+1mm
重量	WEIGHT	100g+25g



GH183

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	电镀黑/阳极	ED/AD
材质	MATERIAL	铁+铝	Steel+Aluminum
轴承	BEARING	类培林(P44XP50)	Semi-Cartridge(P44XP50)
规格	DIAMETER	ZS28.6/44 ZS50/30	ZS28.6/44 ZS50/30
高度	S.HEIGHT	5.5+3=8.5+1mm	5.5+3=8.5+1mm
重量	WEIGHT	140g+25g	140g+25g



GH183H

高度	S.HEIGHT	19+3=22+1mm
重量	WEIGHT	155+25g



GH182

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	电镀黑/阳极	ED/AD
材质	MATERIAL	铁+铝	Steel+Aluminum
轴承	BEARING	类培林(P44X2)	Semi-Cartridge(P44X2)
规格	DIAMETER	ZS28.6/44 ZS44/30	ZS28.6/44 ZS44/30
高度	S.HEIGHT	19+3=22+1mm	19+3=22+1mm
重量	WEIGHT	115g+23g	115g+23g



GH189C

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	电镀黑/阳极	ED/AD
材质	MATERIAL	铁+铝	Steel+Aluminum
轴承	BEARING	类培林(P44X2)	Semi-Cartridge(P44X2)
规格	DIAMETER	ZS28.6/44 ZS44/30	ZS28.6/44 ZS44/30
高度	S.HEIGHT	19+3=22+1mm	19+3=22+1mm
重量	WEIGHT	120g+23g	120g+23g

GH190

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	电镀黑/阳极	ED/AD
材质	MATERIAL	铁+铝	Steel+Aluminum
轴承	BEARING	类培林(P44XP56)	Semi-Cartridge(P44Xp56)
规格	DIAMETER	Z528.6/44 Z556/30/39.8	Z528.6/44 Z556/30/39.8
高度	S.HEIGHT	5.5+3=8.5+1mm	5.5+3=8.5+1mm
重量	WEIGHT	155g+25g	155g+25g

GH190H

高度	S.HEIGHT	19+3=22+1mm
重量	WEIGHT	170g+25g

GH192

规格	DIAMETER	ZS28.6/44 ZS55/30/39.8	ZS28.6/44 ZS55/30/39.8
轴承	BEARING	类培林(P44XP55)	Semi-Cartridge(P44Xp55)
高度	S.HEIGHT	5.5+3=8.5+1mm	5.5+3=8.5+1mm
重量	WEIGHT	155g+25g	155g+25g

GH192H

高度	S.HEIGHT	19+3=22+1mm
重量	WEIGHT	170g+25g

GH195H

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	电镀黑/阳极	ED/AD
材质	MATERIAL	铁+铝	Steel+Aluminum
轴承	BEARING	类培林(P50XP56)	Semi-Cartridge(P50Xp56)
规格	DIAMETER	ZS28.6/50 ZS56/30/39.8	ZS28.6/50 ZS56/30/39.8
高度	S.HEIGHT	17.5+3=20.5+1mm	17.5+3=20.5+1mm
重量	WEIGHT	155g+25g	155g+25g



GH196H

规格	DIAMETER	ZS28.6/50 ZS55/30/39.8	ZS28.6/50 ZS55/30/39.8
轴承	BEARING	类培林(P50XP55)	Semi-Cartridge(P50XP55)
高度	S.HEIGHT	17.5+3=20.5+1mm	17.5+3=20.5+1mm
重量	WEIGHT	170g+25g	170g+25g



GH012

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	电镀黑/镀铬	ED/CP
材质	MATERIAL	铁	Steel
轴承	BEARING	滚珠(1/8"25BX2)	Cartridge(1/8"25BX2)
规格	DIAMETER	ZS28.6/41.4 ZS41.4/30	ZS28.6/41.4 ZS41.4/30
高度	S.HEIGHT	4.5+3.5=8+1mm	4.5+3.5=8+1mm
重量	WEIGHT	80g+25g	80g+25g

GH012D

高度	S.HEIGHT	18.5+3.5=22+1mm
重量	WEIGHT	91g+25g



GH186

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	电镀黑/阳极	ED/AD
材质	MATERIAL	铁+铝	Steel+Aluminum
轴承	BEARING	类培林(P44X2)	Semi-Cartridge(P44X2)
规格	DIAMETER	ZS28.6/44 ZS44/30	ZS28.6/44 ZS44/30
高度	S.HEIGHT	13.5+3=16.5+1mm	13.5+3=16.5+1mm
重量	WEIGHT	100g+23g	100g+23g



GH818

尺寸	SIZE	BC1-1/8"X26T	BC1-1/8"X26T
表面	FINISH	电镀黑/镀铬	ED/CP
材质	MATERIAL	铁	Steel
轴承	BEARING	滚珠(5/32"X22AX2)	Cartridge(5/32"X22AX2)
规格	DIAMETER	ZS25.4/44 ZS44/30	ZS25.4/44 ZS44/30
高度	S.HEIGHT	15+4=19+1mm	15+4=19+1mm
重量	WEIGHT	130g	130g

GH818D

表面	FINISH	电镀黑/阳极	ED/AD
材质	MATERIAL	铁+铝	Steel+Aluminum
高度	S.HEIGHT	19.5+4=23.5+1mm	19.5+4=23.5+1mm
重量	WEIGHT	149g	149g

GH818DS

高度	S.HEIGHT	18+4=22+1mm	18+4=22+1mm
重量	WEIGHT	159g	159g

GH830

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	电镀黑/镀铬	ED/CP
材质	MATERIAL	铁	Steel
轴承	BEARING	滚珠(5/32"X22A-5/32"X27A)	Cartridge(5/32"X22A-5/32"X27A)
规格	DIAMETER	ZS28.6/44 ZS56/30/39.8	ZS28.6/44 ZS56/30/39.8
高度	S.HEIGHT	5+3.5=8.5+1mm	5+3.5=8.5+1mm
重量	WEIGHT	170g+25g	170g+25g

GH830D

高度	S.HEIGHT	19+3.5=22.5+1mm
重量	WEIGHT	183g+25g

GH832

规格	DIAMETER	ZS28.6/44 ZS55/30/39.8	ZS28.6/44 ZS55/30/39.8
高度	S.HEIGHT	5+3.5=8.5+1mm	5+3.5=8.5+1mm
重量	WEIGHT	183g+25g	183g+25g



GH868

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	电镀黑/镀铬	ED/CP
材质	MATERIAL	铁	Steel
轴承	BEARING	滚珠(5/32"X22AX2)	Cartridge(5/32"X22AX2)
规格	DIAMETER	ZS28.6/44 ZS44/30	ZS28.6/44 ZS44/30
高度	S.HEIGHT	5+4=9+1mm	5+4=9+1mm
重量	WEIGHT	110g+25g	110g+25g

GH868D

表面	FINISH	电镀黑/阳极	ED/AD
材质	MATERIAL	铁+铝	Steel+Aluminum
高度	S.HEIGHT	19+4=23+1mm	19+4=23+1mm
重量	WEIGHT	123g+25g	123g+25g

GH868PM

表面	FINISH	电镀黑	ED
材质	MATERIAL	铁+塑胶	Steel+Plastic
高度	S.HEIGHT	19+4=23+1mm	19+4=23+1mm
重量	WEIGHT	123g+25g	123g+25g



型号 (MODEL)	规格 (PELATED SPECS)	前叉立管 外径 (mm) (STEM/STEER)	头管上 内径 (mm) (HT ID UPPER)	头管下 内径 (mm) (HT ID LOWER)	底挡 (mm) (CROWN RACE)	轴承 (REMARK)	尺寸 (SH1 S NORM)
GH012 / GH012D	1-1/8"	28.6	41.4	41.4	30	1-1/8"X25BX2	Ø28.6/41.4 41.4/30
GH112 / GH112H	1-1/8"	28.6	41.4	41.4	30	1-1/8"X25BX2	Ø28.6/41.4 41.4/30
GH122 / GH122H	1-1/8"	28.6	41.4	40.4	30	P414XP44	Ø28.6/41.4 41.4/30
GH183 / GH183H	1-1/8"	28.6	44	50	30	P44XP50	Ø28.6/44 50/30
GH117 GH168 / GH187	1-1/8"	28.6	44	44	30	P44X2	Ø28.6/44 44/30
GH182 / GH186	1-1/8"	28.6	44	44	30	P44X2	Ø28.6/44 44/30
GH189 / GH189C GH189PM	1-1/8"	28.6	44	44	30	P44X2	Ø28.6/44 44/30
GH224 / GH302 GH306 / GH308	1-1/8"	28.6	44	44	30	P03X2	Ø28.6/44 44/30
GH20 / GH20H GH208 / A15 / A16	1-1/8"	28.6	44	44	30	P03X2	Ø28.6/44 44/30
GH206 / GH206H	1-1/8"	28.6	44	51	30	P03X2	Ø28.6/44 51/30
GH226 / GH226D	BC1-1/8"X26T	25.4	44	44	30	P03X2	Ø25.4/44 44/30
GH227	BC1-1/8"X26T	28.6	44	44	30	P03X2	Ø28.6/44 44/30
GH817 / GH187X	BC1-1/8"X26T	28.6	44	44	30	5/32"X22AX2	Ø28.6/44 44/30
GH818 / GH818D GH818DS	BC1-1/8"X26T	28.6	44	44	30	5/32"X22AX2	Ø28.6/44 44/30
GH825 / GH825X	1-1/8"	28.6	44	44	30	5/32"X22AX2	Ø28.6/44 44/30
GH203 / GH203H	1-1/8"	28.6	44	49.7	30	P03X2	Ø28.6/44 49.7/30
GH868 / GH868D GH868PM	1-1/8"	28.6	44	44	30	5/32"X22AX2	Ø28.6/44 44/30
GH183 / GH183H	1-1/8"	28.6	44	50	30	P44XP50	Ø28.6/44 50/30
GH879	BC1-1/8"X26T	28.6	44	44	30	P44X2	Ø28.6/44 44/30
GH190 / GH190H	1-1/8"to1-1/2"	28.6	44	56	30/39.8	P44 P56	Ø28.6/44 56/30/39.8
GH192 / GH192H	1-1/8"to1-1/2"	28.6	44	55	30/39.8	P44 P56	Ø28.6/44 55/30/39.8
GH195H	1-1/8"to1-1/2"	28.6	50	56	30/39.8	P50 P56	Ø28.6/50 56/30/39.8
GH196H	1-1/8"to1-1/2"	28.6	50	55	30/39.8	P50 P55	Ø28.6/50 55/30/39.8
GH830 / GH830D	1-1/8"to1-1/2"	28.6	44	56	30/39.8	5/32"X22A-5/32"X27A	Ø28.6/44 56/30/39.8
GH832 / GH832D	1-1/8"to1-1/2"	28.6	44	55	30/39.8	5/32"X22A-5/32"X27A	Ø28.6/44 55/30/39.8
GH202 / GH212	1-1/8"to1-1/2"	28.6	44	56	30/39.8	P03XP16	Ø28.6/44 56/30/39.8
GH207 / GH217	1-1/8"to1-1/2"	28.6	44	55	30/39.8	P03XP16	Ø28.6/44 55/30/39.8
GH205K GH205KH	1-1/8"to1-1/4"	28.6	44	50.6	30/39.8	P03XP22	Ø28.6/44 50.6/30/39.8



GH224 			
尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P03X2)	Sealed Cartridge(P03X2)
规格	DIAMETER	ZS28.6/44 ZS44/30	ZS28.6/44 ZS44/30
高度	S.HEIGHT	10+3=13+1mm	10+3=13+1mm
重量	WEIGHT	85g	85g



GH227 			
尺寸	SIZE	BC1-1/8"X26T	BC1-1/8"X26T
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P03X2)	Sealed Cartridge(P03X2)
规格	DIAMETER	ZS28.6/44 ZS44/30	ZS28.6/44 ZS44/30
高度	S.HEIGHT	15+3=18+1mm	15+3=18+1mm
重量	WEIGHT	120g	120g



GH817 			
尺寸	SIZE	BC1-1/8"X26T	BC1-1/8"X26T
表面	FINISH	电镀黑/阳极	ED/AD
材质	MATERIAL	铁+铝	Steel+Aluminum
轴承	BEARING	滚珠(5/32"X22AX2)	Cartridge(5/32"X22AX2)
规格	DIAMETER	ZS28.6/44 ZS44/30	ZS28.6/44 ZS44/30
高度	S.HEIGHT	15.5+4=19.5+1mm	15.5+4=19.5+1mm
重量	WEIGHT	125g	125g



GH117 			
尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	电镀黑/阳极	ED/AD
材质	MATERIAL	铁+铝	Steel+Aluminum
轴承	BEARING	类培林(P44X2)	Semi-Cartridge(P44X2)
规格	DIAMETER	ZS28.6/44 ZS44/30	ZS28.6/44 ZS44/30
高度	S.HEIGHT	8+2.5=10.5+1mm	8+2.5=10.5+1mm
重量	WEIGHT	115g	115g


GH825 			
尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	电镀黑/阳极	ED/AD
材质	MATERIAL	铁+铝	Steel+Aluminum
轴承	BEARING	滚珠(5/32"X22AX2)	Cartridge(5/32"X22AX2)
规格	DIAMETER	ZS28.6/44 ZS44/30	ZS28.6/44 ZS44/30
高度	S.HEIGHT	8+4=12+1mm	8+4=12+1mm
重量	WEIGHT	95g	95g




GH879 			
尺寸	SIZE	BC1-1/8"X26T	BC1-1/8"X26T
表面	FINISH	电镀黑/阳极	ED/AD
材质	MATERIAL	铁+铝	Steel+Aluminum
轴承	BEARING	类培林(P44X2)	Cartridge(P44X2)
规格	DIAMETER	ZS28.6/44 ZS44/30	ZS28.6/44 ZS44/30
高度	S.HEIGHT	16+3=19+1mm	16+3=19+1mm
重量	WEIGHT	125g	125g



GH817X  			
尺寸	SIZE	BC1-1/8"X26T	BC1-1/8"X26T
表面	FINISH	电镀黑/阳极	ED/AD
材质	MATERIAL	铁+铝	Steel+Aluminum
轴承	BEARING	滚珠(5/32"X22AX2)	Cartridge(5/32"X22AX2)
规格	DIAMETER	ZS28.6/44 ZS44/30	ZS28.6/44 ZS44/30
高度	S.HEIGHT	15.5+5.5=21+1mm	15.5+5.5=21+1mm
重量	WEIGHT	125g	125g



GH825X  			
尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	电镀黑/阳极	ED/AD
材质	MATERIAL	铁+铝	Steel+Aluminum
轴承	BEARING	滚珠(5/32"X22AX2)	Cartridge(5/32"X22AX2)
规格	DIAMETER	ZS28.6/44 ZS44/30	ZS28.6/44 ZS44/30
高度	S.HEIGHT	8.5+5.5=14+1mm	8.5+5.5=14+1mm
重量	WEIGHT	97g	97g



INTEGRATED HEADSETS



GH-T4/ANG 1.5°

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P03X2)	Sealed Cartridge(P03X2)
规格	DIAMETER	ZS28.6/56 ZS56/30	ZS28.6/56 ZS56/30
高度	S.HEIGHT	11+5.5=16.5+1mm	11+5.5=16.5+1mm
重量	WEIGHT	140g+25g	140g+25g

GH-T5/ANG 1.5°

规格 DIAMETER ZS28.6/55 | ZS55/30



GH-T3/ANG 1.0°

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P03X2)	Sealed Cartridge(P03X2)
规格	DIAMETER	ZS28.6/44 ZS56/30	ZS28.6/44 ZS56/30
高度	S.HEIGHT	11+5.5=16.5+1mm	11+5.5=16.5+1mm
重量	WEIGHT	113g+25g	113g+25g



GH523

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P03XP16)	Sealed Cartridge(P03XP16)
规格	DIAMETER	IS28.6/41 IS52/30/39.8	IS28.6/41 IS52/30/39.8
高度	S.HEIGHT	8+1=9+1mm	8+1=9+1mm
重量	WEIGHT	75g+25g	75g+25g



GH522

尺寸	SIZE	1-1/8"to 1-3/8"	1-1/8"to 1-3/8"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P03XP19)	Sealed Cartridge(P03XP19)
规格	DIAMETER	IS28.6/41 IS49/33/30	IS28.6/41 IS49/33/30
高度	S.HEIGHT	8+1=9+1mm	8+1=9+1mm
重量	WEIGHT	60g+25g	60g+25g



GH503

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P03X2)	Sealed Cartridge(P03X2)
规格	DIAMETER	IS28.6/41 IS41/30	IS28.6/41 IS41/30
高度	S.HEIGHT	8+0.7=8.7+1mm	8+0.7=8.7+1mm
重量	WEIGHT	60g+25g	60g+25g



GH521

尺寸	SIZE	1-1/8"to 1-1/4"	1-1/8"to 1-1/4"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P03XP22)	Sealed Cartridge(P03XP22)
规格	DIAMETER	IS28.6/41 IS46.9/33	IS28.6/41 IS46.9/33
高度	S.HEIGHT	8+1=9+1mm	8+1=9+1mm
重量	WEIGHT	70g+25g	70g+25g



GH570

尺寸	SIZE	1"	1"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P09X2)	Sealed Cartridge(P09X2)
规格	DIAMETER	IS25.4/38 IS38/27	IS25.4/38 IS38/27
高度	S.HEIGHT	10.5+0.7=11.2+1mm	10.5+0.7=11.2+1mm
重量	WEIGHT	50g+25g	50g+25g



GH542

尺寸	SIZE	1-1/4"to 1-1/2"	1-1/4"to 1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P27XP16)	Sealed Cartridge(P27XP16)
规格	DIAMETER	IS31.8/41.8 IS52/39.8	IS31.8/41.8 IS52/39.8
高度	S.HEIGHT	9.5+1=10.5+1mm	9.5+1=10.5+1mm
重量	WEIGHT	75g+35g	75g+35g





GH53L 滑板车专用 Special For Scooter

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P08H8X2)	Sealed Cartridge(P08H8X2)
规格	DIAMETER	IS28.6/41.8 IS41.8/30	IS28.6/41.8 IS41.8/30
高度	S.HEIGHT	10+0.8=10.8+1mm	10+0.8=10.8+1mm
重量	WEIGHT	66g	66g



GH572

尺寸	SIZE	1"
规格	DIAMETER	IS25.4/41.8 IS41.8/30
高度	S.HEIGHT	8.2+0.8=9+1mm
重量	WEIGHT	65g+25g



GH560

尺寸	SIZE	BC1-1/8"X26T	BC1-1/8"X26T
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P08X2)	Sealed Cartridge(P08X2)
规格	DIAMETER	IS25.4/41.8 IS41.8/30	IS25.4/41.8 IS41.8/30
高度	S.HEIGHT	19.5+0.7=20.2+1mm	19.5+0.7=20.2+1mm
重量	WEIGHT	80g	80g



GH540

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P22XP16)	Sealed Cartridge(P22XP16)
规格	DIAMETER	IS28.6/46.9 IS52/30/39.8	IS28.6/46.9 IS52/30/39.8
高度	S.HEIGHT	7.5+1=8.5+1mm	7.5+1=8.5+1mm
重量	WEIGHT	85g+25g	85g+25g



尺寸	SIZE	1-1/2"	1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	IS28.6/52 IS52/30/39.8	IS28.6/52 IS52/30/39.8
高度	S.HEIGHT	10.5+1=11.5+1mm	10.5+1=11.5+1mm
重量	WEIGHT	90g+35g	90g+35g

GH531

尺寸	SIZE	1-1/8"to 1-1/4"	1-1/8"to 1-1/4"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P08XP22)	Sealed Cartridge(P08XP22)
规格	DIAMETER	IS28.6/41.8 IS46.9/33	IS28.6/41.8 IS46.9/33
高度	S.HEIGHT	8+1=9+1mm	8+1=9+1mm
重量	WEIGHT	70g+25g	70g+25g



GH591

轴承	BEARING	密封轴承(P08XP22)
高度	S.HEIGHT	16.5+1=17.5+1mm
重量	WEIGHT	83g+25g



GH532

尺寸	SIZE	1-1/8"to 1-1/2"	1-1/8"to 1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P08XP16)	Sealed Cartridge(P08XP16)
规格	DIAMETER	IS28.6/41.8 IS52/30/39.8	IS28.6/41.8 IS52/30/39.8
高度	S.HEIGHT	8+1=9+1mm	8+1=9+1mm
重量	WEIGHT	75g+25g	75g+25g



GH592

轴承	BEARING	密封轴承(P08XP16)
高度	S.HEIGHT	16.5+1=17.5+1mm
重量	WEIGHT	83g+25g



GH533

尺寸	SIZE	1-1/8"to 1-3/8"	1-1/8"to 1-3/8"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P08XP19)	Sealed Cartridge(P08XP19)
规格	DIAMETER	IS28.6/41.8 IS49/30/33	IS28.6/41.8 IS49/30/33
高度	S.HEIGHT	8+1=9+1mm	8+1=9+1mm
重量	WEIGHT	65g+25g	65g+25g



GH593

轴承	BEARING	密封轴承(P08XP19)
高度	S.HEIGHT	16.5+1=17.5+1mm
重量	WEIGHT	78g+25g



GH53

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P08X2)	Sealed Cartridge(P08X2)
规格	DIAMETER	IS28.6/41.8 IS41.8/30	IS28.6/41.8 IS41.8/30
高度	S.HEIGHT	8+0.7=8.7+1mm	8+0.7=8.7+1mm
重量	WEIGHT	60g+25g	60g+25g



GH59

轴承	BEARING	密封轴承(P08X2)	Sealed Cartridge(P08X2)
高度	S.HEIGHT	16.5+0.7=17.2+1mm	
重量	WEIGHT	73g+25g	

型号 (MODEL)	规格 (PELATED SPECS)	前叉立管 外径 (mm) (STEM/STEER)	头管上 内径 (mm) (HT ID UPPER)	头管下 内径 (mm) (HT ID LOWER)	底挡 (mm) (CROWN RACE)	轴承 (REMARK)	尺寸 (SHIS NORM)
GH570	1"	25.4	38.1	38.1	26.4/27	P09(38X27.2X6.3)	Ø25.4/38 38/27
GH503	1-1/8"	28.6	41	41	30	P03X2	Ø28.6/41 41/30
GH521	1-1/8"to 1-1/4"	28.6	41.2	47.1	33	P03(41X30.2X6.5) P22(46.9X34X7)	Ø28.6/41 46.9/33
GH522	1-1/8"to 1-3/8"	28.6	41.2	49.2	-	P03(41X30.2X6.5) P19(49X37X7)	Ø28.6/41 49/30/33
GH523	1-1/8"to 1-1/2"	28.6	41.2	52.2	30/39.8	P03(41X30.2X6.5) P16(52X40X7)	Ø28.6/41 52/30/39.8
GH542	1-1/4"to 1-1/2"	31.8	41.8/44	52	39.8	P27XP16	Ø31.8/41.8 52/39.8 Ø31.8/44 52/39.8
GH53L	1-1/8"	28.6	41.8	41.8	30	P08H8X2	Ø28.6/41.8 41.8/30
GH53	1-1/8"	28.6	42	42	30	P08(41.8X30.2X6.5)	Ø28.6/41.8 41.8/30
GH59	1-1/8"	28.6	42	42	30	P08(41.8X30.2X6.5)	Ø28.6/41.8 41.8/30
GH531	1-1/8"to 1-1/4"	28.6	42	47.1	33	P08(41.8X30.2X6.5) P22(46.9X34X7)	Ø28.6/41.8 46.9/33
GH591	1-1/8"to 1-1/4"	28.6	42	47.1	33	P08(41.8X30.2X6.5) P22(46.9X34X7)	Ø28.6/41.8 46.9/33
GH532	1-1/8"to 1-1/2"	28.6	42	52.1	30/39.8	P08(41.8X30.2X6.5) P16(52X47X7)	Ø28.6/41.8 52/30/39.8
GH592	1-1/8"to 1-1/2"	28.6	42	52.1	30/39.8	P08(41.8X30.2X6.5) P16(52X47X7)	Ø28.6/41.8 52/30/39.8
GH533	1-1/8"to 1-3/8"	28.6	42	49.1	-	P08(41.8X30.2X6.5) P19(49X37X7)	Ø28.6/41.8 49/33/30
GH593	1-1/8"to 1-3/8"	28.6	42	49.1	-	P08(41.8X30.2X6.5) P19(49X37X7)	Ø28.6/41.8 49/33/30
GH560	BC1-1/8"X26T	25.4	42	42	30	P08(41.8X30.2X6.5)	Ø25.4/41.8 41.8/30
GH540	1-1/8"to 1-1/2"	28.6	47.1	52.2	30/39.8	P22(46.9X34X7) P16(52X40X7)	Ø28.6/46.9 52/30/39.8

GH669

尺寸	SIZE	BC1/8"X26T	BC1/8"X26T
表面	FINISH	阳极/镀铬	AD/CP
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P03X2)	Sealed Cartridge(P03X2)
规格	DIAMETER	EC25.4/34 EC34/30	EC25.4/34 EC34/30
高度	S.HEIGHT	26+12=38+1mm	26+12=38+1mm
重量	WEIGHT	130g	130g

GH619

尺寸	SIZE	BC1"X24T	BC1"X24T
规格	DIAMETER	EC22.2/30 EC30/27	EC22.2/30 EC30/27
轴承	BEARING	密封轴承(P09X2)	Sealed Cartridge(P09X2)
高度	S.HEIGHT	27+11.5=38.5+1mm	27+11.5=38.5+1mm



GH617

尺寸	SIZE	BC1*X24T	BC1*X24T
表面	FINISH	阳极/镀铬	AD/CP
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P09X2)	Sealed Cartridge(P09X2)
规格	DIAMETER	EC22.2/30 EC30/27	EC22.2/30 EC30/27
高度	S.HEIGHT	25+10.5=35.5+1mm	25+10.5=35.5+1mm
重量	WEIGHT	105g	105g

GH617k

高度	S.HEIGHT	24+10.5=34.5+1mm	24+10.5=34.5+1mm
重量	WEIGHT	90g	90g



GH616

尺寸	SIZE	BC1*X24T	BC1*X24T
表面	FINISH	阳极/镀铬	AD/CP
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P09X2)	Sealed Cartridge(P09X2)
规格	DIAMETER	EC22.2/30 EC30/27	EC22.2/30 EC30/27
高度	S.HEIGHT	26+11.5=37.5+1mm	26+11.5=37.5+1mm
重量	WEIGHT	95g	95g



GH660

尺寸	SIZE	BC1-1/8"X26T	BC1-1/8"X26T
表面	FINISH	阳极/镀铬	AD/CP
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P03X2)	Sealed Cartridge(P03X2)
规格	DIAMETER	EC25.4/34 EC34/30	EC25.4/34 EC34/30
高度	S.HEIGHT	25.5+12=37.5+1mm	25.5+12=37.5+1mm
重量	WEIGHT	130g	130g

GH693

尺寸	SIZE	1-1/2"	1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	滚珠(5/32"X27AX2)	Cartridge(5/32"X27AX2)
规格	DIAMETER	EC38.1/49.7 EC49.7/39.8	EC38.1/49.7 EC49.7/39.8
高度	S.HEIGHT	13+12.5=25.5+1mm	13+12.5=25.5+1mm
重量	WEIGHT	135g+42g	135g+42g



GH602

尺寸	SIZE	1"	1"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P09X2)	Sealed Cartridge(P09X2)
规格	DIAMETER	EC25.4/30 EC30/27	EC25.4/30 EC30/27
高度	S.HEIGHT	18+11.5=29.5+1mm	18+11.5=29.5+1mm
重量	WEIGHT	70g+25g	70g+25g



GH661

尺寸	SIZE	BC1-1/8"X26T	BC1-1/8"X26T
表面	FINISH	阳极/镀铬	AD/CP
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P03X2)	Sealed Cartridge(P03X2)
规格	DIAMETER	EC25.4/34 EC34/30	EC25.4/34 EC34/30
高度	S.HEIGHT	25.5+12=37.5+1mm	25.5+12=37.5+1mm
重量	WEIGHT	130g	130g



GH690

尺寸	SIZE	1-1/2"	1-1/2"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	EC38.1/49.7 EC49.7/39.8	EC38.1/49.7 EC49.7/39.8
高度	S.HEIGHT	16.5+12=28.5+1mm	16.5+12=28.5+1mm
重量	WEIGHT	124g+42g	124g+42g



GH691

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
规格	DIAMETER	EC28.6/44 EC44/30/39.8	EC28.6/44 EC44/30/39.8
高度	S.HEIGHT	17+12=29+1mm	17+12=29+1mm
重量	WEIGHT	135g+25g	135g+25g

GH692

尺寸	SIZE	1-1/2"	1-1/2"
规格	DIAMETER	EC38.1/44 EC44/39.8	EC38.1/44 EC44/39.8
轴承	BEARING	密封轴承(P16X2)	Sealed Cartridge(P16X2)
高度	S.HEIGHT	17+12=29+1mm	17+12=29+1mm
重量	WEIGHT	128g+42g	128g+42g



GH-DU01



尺寸	SIZE	1"	1"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	自润轴承	DU
规格	DIAMETER	EC25.4/30 EC30/25	EC25.4/30 EC30/25
高度	S.HEIGHT	22+5.5=27.5+1mm	22+5.5=27.5+1mm
重量	WEIGHT	30g+25g	30g+25g

GH-DU02

尺寸	SIZE	1-1/8"	1-1/8"
规格	DIAMETER	EC28.6/34 EC34/30	EC28.6/34 EC34/30
高度	S.HEIGHT	11.5+5.5=17+1mm	11.5+5.5=17+1mm



GH608

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	阳极	AD
材质	MATERIAL	铝	Aluminum
轴承	BEARING	密封轴承(P03X2)	Sealed Cartridge(P03X2)
规格	DIAMETER	EC28.6/34 EC34/30	EC28.6/34 EC34/30
高度	S.HEIGHT	17.5+12=29.5+1mm	17.5+12=29.5+1mm
重量	WEIGHT	85g+25g	85g+25g

GH601

尺寸	SIZE	1"	1"
规格	DIAMETER	EC25.4/30 EC30/27	EC25.4/30 EC30/27
轴承	BEARING	密封轴承(P09X2)	Sealed Cartridge(P09X2)
高度	S.HEIGHT	16.5+11.5=28+1mm	16.5+11.5=28+1mm





GH205F



尺寸	SIZE	BC1"X24T	BC1"X24T
表面	FINISH	电镀黑/镀铬	ED/CP
材质	MATERIAL	铁	Steel
轴承	BEARING	滚珠(5/32"X16AX2)	Cartridge(5/32"X16AX2)
规格	DIAMETER	EC22.2/30 EC30/27	EC22.2/30 EC30/27
高度	S.HEIGHT	24.5+10.5=35+1mm	24.5+10.5=35+1mm
重量	WEIGHT	135g	135g



GH800

尺寸	SIZE	BC1"X24T	BC1"X24T
表面	FINISH	电镀黑/镀铬	ED/CP
材质	MATERIAL	铁	Steel
轴承	BEARING	滚珠(5/32"X16AX2)	Cartridge(5/32"X16AX2)
规格	DIAMETER	EC22.2/30 EC30/27	EC22.2/30 EC30/27
高度	S.HEIGHT	24+10.5=34.5+1mm	24+10.5=34.5+1mm
重量	WEIGHT	135g	135g



GH861

尺寸	SIZE	BC1"X24T	BC1"X24T
表面	FINISH	电镀黑/镀铬	ED/CP
材质	MATERIAL	铁	Steel
轴承	BEARING	类培林(P30X2)	Semi-Cartridge(P30X2)
规格	DIAMETER	EC22.2/30 EC30/27	EC22.2/30 EC30/27
高度	S.HEIGHT	25.5+11=36.5+1mm	25.5+11=36.5+1mm
重量	WEIGHT	135g	135g



GH863

尺寸	SIZE	BC1-1/8"X26T	BC1-1/8"X26T
表面	FINISH	电镀黑/镀铬	ED/CP
材质	MATERIAL	铁	Steel
轴承	BEARING	类培林(P34X2)	Semi-Cartridge(P34X2)
规格	DIAMETER	EC25.4/34 EC34/30	EC25.4/34 EC34/30
高度	S.HEIGHT	24.5+11=35.5+1mm	24.5+11=35.5+1mm
重量	WEIGHT	145g	145g



GH803

尺寸	SIZE	BC1"X24T	BC1"X24T
表面	FINISH	电镀黑/镀铬	ED/CP
材质	MATERIAL	铁	Steel
轴承	BEARING	滚珠(5/32"X16AX2)	Cartridge(5/32"X16AX2)
规格	DIAMETER	EC21.1/32.5 EC32.5/27	EC21.1/32.5 EC32.5/27
高度	S.HEIGHT	25+11=36+1mm	25+11=36+1mm
重量	WEIGHT	135g	135g



GH873

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	电镀黑/阳极	ED/AD
材质	MATERIAL	铁+铝	Steel+Aluminum
轴承	BEARING	类培林(P34X2)	Semi-Cartridge(P34X2)
规格	DIAMETER	EC28.6/34 EC34/30	EC28.6/34 EC34/30
高度	S.HEIGHT	15.5+11=26.5+1mm	15.5+11=26.5+1mm
重量	WEIGHT	110g+25g	110g+25g



GH872



尺寸	SIZE	BC1-1/8"X26T	BC1-1/8"X26T
表面	FINISH	电镀黑/镀铬	ED/CP
材质	MATERIAL	铁	Steel
轴承	BEARING	滚珠(5/32"X22AX2)	Cartridge(5/32"X22AX2)
规格	DIAMETER	EC28.6/34 EC34/30	EC28.6/34 EC34/30
高度	S.HEIGHT	18+11=29+1mm	18+11=29+1mm
重量	WEIGHT	185g	185g



GH807MD

尺寸	SIZE	BC1-1/8"X26T	BC1-1/8"X26T
表面	FINISH	电镀黑/镀铬	ED/CP
材质	MATERIAL	铁	Steel
轴承	BEARING	滚珠(5/32"X22AX2)	Cartridge(5/32"X22AX2)
规格	DIAMETER	EC25.4/34 EC34/30	EC25.4/34 EC34/30
高度	S.HEIGHT	26+11=37+1mm	26+11=37+1mm
重量	WEIGHT	175g	175g

GH801

尺寸	SIZE	BC1"X24T	BC1"X24T
表面	FINISH	电镀黑/镀铬	ED/CP
材质	MATERIAL	铁	Steel
轴承	BEARING	滚珠(5/32"X16AX2)	Cartridge(5/32"X16AX2)
规格	DIAMETER	EC22.2/30 EC30/27	EC22.2/30 EC30/27
高度	S.HEIGHT	23.5+10.5=34+1mm	23.5+10.5=34+1mm
重量	WEIGHT	165g	165g

GH801D

高度	S.HEIGHT	25.5+10.5=36+1mm
----	----------	------------------



GH807

尺寸	SIZE	BC1-1/8"X26T	BC1-1/8"X26T
表面	FINISH	电镀黑/镀铬	ED/CP
材质	MATERIAL	铁	Steel
轴承	BEARING	滚珠(5/32"X22AX2)	Cartridge(5/32"X22AX2)
规格	DIAMETER	EC25.4/34 EC34/30	EC25.4/34 EC34/30
高度	S.HEIGHT	25.5+11=36.5+1mm	25.5+11=36.5+1mm
重量	WEIGHT	175g	175g

GH807D

高度	S.HEIGHT	25.5+11=36.5+1mm
----	----------	------------------



GH860

尺寸	SIZE	BC1"X24T	BC1"X24T
表面	FINISH	电镀黑/镀铬	ED/CP
材质	MATERIAL	铁	Steel
轴承	BEARING	类培林(P30X2)	Semi-Cartridge(P30X2)
规格	DIAMETER	EC22.2/30 EC30/27	EC22.2/30 EC30/27
高度	S.HEIGHT	24.5+11=35.5+1mm	24.5+11=35.5+1mm
重量	WEIGHT	150g	150g

GH860D

高度	S.HEIGHT	23.5+11=34.5+1mm	23.5+11=34.5+1mm
----	----------	------------------	------------------



GH862

尺寸	SIZE	BC1-1/8"X26T	BC1-1/8"X26T
表面	FINISH	电镀黑/镀铬	ED/CP
材质	MATERIAL	铁	Steel
轴承	BEARING	类培林(P34X2)	SEMI-Cartridge(P34X2)
规格	DIAMETER	EC25.4/34 EC34/30	EC25.4/34 EC34/30
高度	S.HEIGHT	24.5+11=35.5+1mm	24.5+11=35.5+1mm
重量	WEIGHT	160g	160g

GH862D

高度	S.HEIGHT	27.5+11=38.5+1mm	27.5+11=38.5+1mm
----	----------	------------------	------------------



GH171

尺寸	SIZE	1-1/8"	1-1/8"
表面	FINISH	电镀黑/镀铬	ED/CP
材质	MATERIAL	铁	Steel
轴承	BEARING	滚珠(5/32"X22AX2)	Cartridge(5/32"X22AX2)
规格	DIAMETER	EC28.6/34 EC34/30	EC28.6/34 EC34/30
高度	S.HEIGHT	12+11=23+1mm	12+11=23+1mm
重量	WEIGHT	110g+25g	110g+25g

GH171D

高度	S.HEIGHT	30+11=41+1mm	30+11=41+1mm
----	----------	--------------	--------------

GH071

尺寸	SIZE	1"	1"
表面	FINISH	电镀黑/镀铬	ED/CP
材质	MATERIAL	铁	Steel
轴承	BEARING	滚珠(5/32"X16AX2)	Cartridge(5/32"X16AX2)
规格	DIAMETER	EC25.4/30 EC30/27	EC25.4/30 EC30/27
高度	S.HEIGHT	11.5+10.5=22+1mm	11.5+10.5=22+1mm
重量	WEIGHT	100g+25g	100g+25g

GH071D

高度	S.HEIGHT	30+10.5=40.5+1mm
----	----------	------------------



GH895

尺寸	SIZE	BC1"X24T	BC1"X24T
表面	FINISH	电镀黑/阳极	ED/AD
材质	MATERIAL	铁+铝	Steel+Aluminum
轴承	BEARING	滚珠(5/32"X16AX2)	Cartridge(5/32"X16AX2)
规格	DIAMETER	EC22.2/30 EC30/27	EC22.2/30 EC30/27
高度	S.HEIGHT	25+11.5=36.5+1mm	25+11.5=36.5+1mm
重量	WEIGHT	110g	110g

型号 (MODEL)	规格 (PELATED SPECS)	前叉立管 外径 (mm) (STEM/STEER)	头管上 内径 (mm) (HT ID UPPER)	头管下 内径 (mm) (HT ID LOWER)	底挡 (mm) (CROWN RACE)	轴承 (REMARK)	尺寸 (SHIS NORM)
GH803	BC1"X24T	21.1	32.5	32.5	26.4/27	5/32"X16AX2	Ø22.2/30 30/27
GH800 GH801 / GH801D	BC1"X24T	22.2	30	30	26.4/27	5/32"X16AX2	Ø22.2/30 30/27
GH860 / GH861 GH895	BC1"X24T	22.2	30	30	27	5/32"X16AX2	Ø22.2/30 30/27
GH616 / GH617 GH617K	BC1"X24T	22.2	30	30	26.4/27	P09(38X27.2X6.3)	Ø22.2/30 30/27
GH601 / GH602	1"	25.4	30	30	26.4/27	P09(38X27.2X6.3)	Ø25.4/30 30/27
GH619	BC1-1/8"X26T	25.4	34	34	30	P03X2	Ø25.4/34 34/30
GH669	BC1"X24T	22.2	30	30	27	P09X2	Ø22.2/30 30/27
GH660 / GH661	BC1-1/8"X26T	25.4	34	34	30	P03(41X30.2X6.5)	Ø25.4/34 34/30
GH862 / GH862D GH863	BC1-1/8"X26T	25.4	34	34	30	P34	Ø25.4/34 34/30
GH807 / GH807D GH807MD	BC1-1/8"X26T	25.4	34	34	30	5/32"X22AX2	Ø25.4/34 34/30
GH071 / GH071D	1"	25.4	30	30	26.4/27	5/32"X16AX2	Ø25.4/30 30/27
GH171 / GH171D	1-1/8"	28.6	34	34	30	5/32"X22AX2	Ø28.6/34 34/30
GH872	BC1-1/8"X26T	28.6	34	34	30	5/32"X22AX2	Ø28.6/34 34/30
GH873	1-1/8"	28.6	34	34	30	P34	Ø28.6/34 34/30
GH608 / GH686	1-1/8"	28.6	34	34	30	P03(41X30.2X6.5)	Ø28.6/34 34/30
GH691	1-1/8"	28.6	44	44	30/39.8	P16(52X40X7)	Ø28.6/44 44/30/39.8
GH690 / GH693	1-1/2"	38.1	49.7	49.7	39.8	P16(52X40X7)	Ø38.1/49.7 49.7/39.8
GH692	1-1/2"	38.1	49.7	49.7	39.8	P16(52X40X7)	Ø38.1/44 44/39.8



BOTTOM BRACKETS

中轴



THREAD
BOTTOM BRACKET **Gineyea**



BBT4773

外置
External

半隐藏
Semi-integrated

材质	MATERIAL	铝	Aluminum
轴承	BEARING	轴承钢/陶瓷	Steel/Ceramic Bearing
牙纹规格	THREAD	M47XP1.0	M47X1.0
轴心外径	AXLE	Ø24mmX24mm	Ø24mm Through
五通宽度	SHELL	68/73mm	68/73mm
扳手	WRENCH	49mm-16齿	49mm-16 teeth

BBT4773S

轴心外径	AXLE	Ø22mmXØ24mm
------	------	-------------

BBT4773F

轴心外径	AXLE	Ø30mmXØ30mm
------	------	-------------

BBT477329

轴心外径	AXLE	Ø29mmXØ29mm
------	------	-------------



BB91

材质	MATERIAL	铝	Aluminum
轴承	BEARING	轴承钢/陶瓷	Steel/Ceramic Bearing
牙纹规格	THREAD	BC1.37"X24T	BC1.37X24T
轴心外径	AXLE	Ø24mmX24mm	Ø24mm Through
五通宽度	SHELL	68/73/100/120mm	68/73/100/120mm
扳手	WRENCH	44mm-16齿	44mm-16 teeth

BB91S

轴心外径	AXLE	Ø22mmXØ24mm
------	------	-------------

BB91M

轴心外径	AXLE	Ø19mmXØ19mm
------	------	-------------

BB91F

轴心外径	AXLE	Ø30mmXØ30mm
------	------	-------------

BB9129

轴心外径	AXLE	Ø29mmXØ29mm
------	------	-------------



BB51

材质	MATERIAL	铝	Aluminum
轴承	BEARING	轴承钢/陶瓷	Steel/Ceramic Bearing
牙纹规格	THREAD	BC1.37"X24T	BC1.37"X24T
轴心外径	AXLE	Ø24mmX24mm	Ø24mm Through
五通宽度	SHELL	68/73/100/120mm	68/73/100/120mm
扳手	WRENCH	44mm-16齿	44mm- 16teeth

BB51S

轴心外径	AXLE	Ø22mmXØ24mm
------	------	-------------

BB51M

轴心外径	AXLE	Ø19mmXØ19mm
------	------	-------------

BB51F

轴心外径	AXLE	Ø30mmXØ30mm
------	------	-------------


BB5129

轴心外径	AXLE	Ø29mmXØ29mm
------	------	-------------



BB10

材质	MATERIAL	铝+铁	Aluminum+Steel
轴承	BEARING	轴承钢/陶瓷	Steel/Ceramic Bearing
轴心	AXIS	铁	Steel
牙纹规格	THREAD	BC1.37"X24T	BC1.37X24T
五通宽度	SHELL	68mm	68mm



车架五通宽度 (Bracket width)	BB10-68							
A	19.5	20.5	22	24.5	25	26	26	28
C	20.5	19.5	23	27	25.5	28.5	30	32
L	108	108	113	120	116	122.5	124	128



BB386

材质	MATERIAL	铝	Aluminum
轴承	BEARING	轴承钢/陶瓷	Steel/Ceramic Bearing
碗外径	CUPS	Ø46mm	Ø46mm OD Alloy cups
轴心外径	AXLE	Ø24mmX24mm	Ø24mm Through
五通宽度	SHELL	86mm	86mm

BB386-29	
轴心外径	AXLE Ø29mmXØ29mm
BB386-30	
轴心外径	AXLE Ø30mmXØ30mm



BB386L-24

材质	MATERIAL	铝	Aluminum
轴承	BEARING	轴承钢/陶瓷	Steel/Ceramic Bearing
碗外径	CUPS	Ø46mm	Ø46mm OD Alloy cups
轴心外径	AXLE	Ø24mmX24mm	Ø24mm Through
五通宽度	SHELL	86mm	86mm

BB386L-29	
轴心外径	AXLE Ø29mmXØ29mm
BB386L-30	
轴心外径	AXLE Ø30mmXØ30mm



BB79

材质	MATERIAL	铝	Aluminum
轴承	BEARING	轴承钢/陶瓷	Steel/Ceramic Bearing
碗外径	CUPS	Ø46mm	Ø46mm OD Alloy cups
轴心外径	AXLE	Ø24mmX24mm	Ø24mm Through
五通宽度	SHELL	79/83mm	79/83mm

BB79S	
轴心外径	AXLE Ø22mmXØ24mm
BB79F	
轴心外径	AXLE Ø30mmXØ30mm

BB92XL


材质	MATERIAL	铝	Aluminum
轴承	BEARING	轴承钢/陶瓷	Steel/Ceramic Bearing
碗外径	CUPS	Ø41mm	Ø41mm OD Alloy cups
轴心外径	AXLE	Ø24mmX24mm	Ø24mm Through
五通宽度	SHELL	86/92mm	86/92mm

压入式中空轴规划表 (Press-fit Bottom bracket Norm)									
五通长度 (Common Shell Width)	轴心内径 (Axis Inner Diameter)	中轴内径 (BB Inner Diameter)							
		Ø22XØ24		Ø24XØ24		Ø29XØ29		Ø30XØ30	
		压入 (Press fit)	对锁 (Interlock)	压入 (Press fit)	对锁 (Interlock)	压入 (Press fit)	对锁 (Interlock)	压入 (Press fit)	对锁 (Interlock)
86-92mm	Ø41	BB92S	BB92LS	BB92	BB92L	BB92F29	BB92L29	BB92F	BB92LF
68-73mm	Ø42	BB30AS	BB30ALS	BB30AR	BB30AL	BB30AR29	BB30AL-29	BB30AR-30	BB30AL-30
68-73mm	Ø46	BB30RS	BB30RLS	BB30R	BB30RL	BB30R29	BB30RL29	BB30RF	BB30RLF
68-86mm	Ø46	BB386-24S	BB386L-24S	BB386-24	BB386L-24	BB386-29	BB386L-29	BB386-30	BB386L-30
79-83mm	Ø46	BB79S	—	BB79	—	—	—	BB79F	—
91.5mm	Ø46	—	—	—	—	—	—	BB392EVO	—



BB96 适用于雪地车
Snow Bike

材质	MATERIAL	铁	Steel
轴承	BEARING	轴承钢	Steel Bearing
牙纹规格	THREAD	BC1.37"X24T	BC1.37"X24T
五通宽度	SHELL	100/120mm	100/120mm




车架五通宽度 (Bracket width)	110					120				
A	27	28	30	25	21	22.5	24	26	27	
B	38	32	31	28	23	24.5	26	29	31	
L	175	170	171	163	164	167	170	175	178	


车架五通宽度 (Bracket width)	90						100																			
A	42	35	26	26	19	19	20.5	20	21	22	24	24.5	27	27	24	28	24.5	25	27	26.5	30.5	31.5	29.5	31	33	39
B	24	31	30	24	18.5	21	21.5	23	24	25	25.5	27	19.5	25.5	29	26	30	31	30	32.5	29	30	34.5	36	37	39
L	156	156	146	140	137.5	140	142	143	145	147	149.5	151.5	146.5	152.5	153	154	154.5	156	157	159	159.5	161.5	164	167	170	178

BB83 适用于电动自行车
E-Bike


材质	MATERIAL	铁	Steel
轴承	BEARING	轴承钢	Steel Bearing
牙纹规格	THREAD	BC1.37"X24T	BC1.37"X24T
五通宽度	SHELL	80/83mm	80/83mm



车架五通宽度 (Bracket width)	80					83													85
A	26.5	27	27	29	20	20	24	24	24.5	23.5	28	27	27.5	28	30	34	34	41	26.5
C	33.5	22	29.5	42.5	22	24	23	26	27.5	30.5	27	30	25	32	34	37	38	23	33.5
L	140	129	136.5	151.5	125	127	130	133	135	137	138	140	135.5	143	147	154	154	147	145



型号 Model	3EB	3LB	3AB	3PB	3NB	3SSB	3PLB	3SB	3TB	3UB	3RB	5BB	5LB	5PB	5SB	5TB	5UB
车架五通宽度 (Bracket width)	68	68	68	68	68	68	68	68	68	68	68	70	70	70	70	70	70
A	30.5	32	32	32	32	32	35	35	35	35	35	30	32	32	35	35	35
B	52	52	52	52	52	52	52	52	52	52	52	54	54	54	54	54	54
C	28	32	33.5	35	36	37.5	35	37.5	39	40.5	42	33.5	30	35	37.5	39	40.5
轴心长 (Axle Length)	110.5	116	117.5	119	120	121.5	122	124.5	126	127.5	129	117.5	116	121	126.5	128	129.5




型号 Model	3M	3K	3E	3H	3C	3L	3A	3P	3N	3SS	3Z	3PL	3S	3T	3U	3R	3X	5NN	5M	5B	5L	5A	5P	5N	5S	5T
车架五通宽度 (Bracket width)	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	70	70	70	70	70	70	70	70
A	28	29	30.5	30.5	30.5	32	35	32	32	35	33.5	35	35	35	35	35	35.5	36	28	30	32	32	32	32	35	35
B	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	54	54	54	54	54	54	54	54	54
C	28	29	28	30.5	32	32	33.5	35	36	37.5	33.5	35	37.5	39	40.5	42	36.5	36	28	33.5	30	33.5	35	36	37.5	39
轴心长 (Axle Length)	108	110	110.5	113	114.5	116	117.5	119	120	121.5	119	122	124.5	126	127.5	129	124	124	110	117.5	116	119.5	121	122	126.5	128

SQUARE HOLE
BOTTOM BRACKET


刹车线内藏/抛光中管

材质	MATERIAL	铁	Steel
轴承	BEARING	轴承钢	Steel Bearing
牙纹规格	THREAD	BC1.37"X24T	BC1.37"X24T
五通宽度	SHELL	68/73mm	68/73mm




轴承与中管一体

材质	MATERIAL	铁	Steel
轴承	BEARING	散珠轴承	Ball Bearing
牙纹规格	THREAD	BC1.37"X24T	BC1.37"X24T
五通宽度	SHELL	68/73mm	68/73mm




散珠轴承与中管一体

材质	MATERIAL	铁	Steel
轴承	BEARING	散珠轴承	Ball Bearing
牙纹规格	THREAD	BC1.37"X24T	BC1.37"X24T
五通宽度	SHELL	68/73mm	68/73mm



材质	MATERIAL	塑胶+铁	Plastics+Steel
轴承	BEARING	散珠轴承	Caged Bearing
牙纹规格	THREAD	BC1.37"X24T	BC1.37"X24T
五通宽度	SHELL	68mm	68mm



车架五通宽度 (Bike width)	68											
A	19	22.5	22.5	23.5	25	25	26.5	27	27	27.5	26.5	39.5
C	20	20	22.5	23.5	25	27	28	29.5	31	32	34.5	34.5
L	107	110.5	113	115	118	120	122.5	124.5	126	127.5	129	132

Caged
BOTTOM BRACKET



BB39

牙纹规格	THREAD	BC1.37"X24TPI	BC1.37"X24TPI
轴承	BEARING	珠巢(1/4"X9)	Caged(1/4"X9)



BB32

牙纹规格	THREAD	BC1.37"X24TPI	BC1.37"X24TPI
轴承	BEARING	珠巢(1/4"X9)	Caged(1/4"X9)

**KM12/KM15**

材质	MATERIAL	铝(7075)	Aluminum(7075)
表面	FINISH	阳极	AD
轴外径	AXLE DIAM	12/15mm	12/15mm
轴长	LENGTH	148/152mm 154-150mm 160/180/200mm	148/152mm 154-150mm 160/180/200mm



K12/K15

材质	MATERIAL	铝(7075)	Aluminum(7075)
表面	FINISH	阳极黑	Anodized Black
轴外径	AXLE DIAM	12/15mm	12/15mm
轴长	LENGTH	125-183mm	125-183mm



K12T/K15T

材质	MATERIAL	铝(7075)	Aluminum(7075)
表面	FINISH	阳极	AD
轴外径	AXLE DIAM	12/15mm	12/15mm
轴长	LENGTH	160mm	160mm



雪地车前拨
Snow Bicycle Front Derailleur clamp

K52

材质	MATERIAL	铝	Aluminum
表面	FINISH	阳极	AD
高度	S.HELGHT	25/34+1mm	25/34+1mm
规格	DIAMETER	Ø34.9	Ø34.9
重量	WEIGHT	68g	68g



KM05

材质	MATERIAL	铝, 铬钼钢	Aluminum, Cr-Mo
表面	FINISH	阳极	AD
轴外径	AXLE DIAM	5mm	5mm
轴长	LENGTH	109-144mm 112-148.5mm 115-151.5mm	109-144mm 112-148.5mm 115-151.5mm





KC80

材质	MATERIAL	铝	Aluminum
表面	FINISH	阳极	AD
规格	DIAMETER	Ø38.1/Ø38.5 Ø40/Ø40.8/Ø41.8	Ø38.1/Ø38.5 Ø40/Ø40.8/Ø41.8
重量	WEIGHT	65g	65g



KC88

材质	MATERIAL	铝	Aluminum
表面	FINISH	阳极	AD
规格	DIAMETER	Ø28.6/Ø30/Ø31.8 Ø34.9/Ø38.5	Ø28.6/Ø30/Ø31.8 Ø34.9/Ø38.5
重量	WEIGHT	40g	40g



KC89

材质	MATERIAL	铝	Aluminum
表面	FINISH	阳极	AD
规格	DIAMETER	Ø31.8/Ø34.9	Ø31.8/Ø34.9
重量	WEIGHT	40g	40g



KL68

材质	MATERIAL	铝	Aluminum
表面	FINISH	阳极	AD
规格	DIAMETER	Ø28.6/Ø30 Ø31.8/Ø34.9	Ø28.6/Ø30 Ø31.8/Ø34.9
重量	WEIGHT	20.5g	20.5g



公路车前拨链器夹具
Road Bicycle Front Derailleur Clamp

K50

材质	MATERIAL	铝	Aluminum
表面	FINISH	阳极	AD
规格	DIAMETER	Ø31.8/Ø34.9	Ø31.8/Ø34.9
角度	ANGLE	76°	76°
重量	WEIGHT	20g	20g



变速夹
Shifter Clamp

K21R

材质	MATERIAL	铝	Aluminum
表面	FINISH	阳极	AD
规格	DIAMETER	Ø22.2	Ø22.2
重量	WEIGHT	20g	20g



S10

材质	MATERIAL	铝CNC加工	AL CNC Machined
表面	FINISH	阳极	AD
规格	DIAMETER	M10	M10
重量	WEIGHT	8.3g	8.3g



S11T

材质	MATERIAL	碳纤	Carbon
表面	FINISH	3K UD	3K UD
规格	DIAMETER	M6	M6
重量	WEIGHT	6.2g	6.2g



S12

材质	MATERIAL	铝CNC加工	AL CNC Machined
表面	FINISH	阳极	AD
规格	DIAMETER	M6	M6
重量	WEIGHT	7.6g	7.6g



S15

材质	MATERIAL	铝CNC加工	AL CNC Machined
表面	FINISH	阳极	AD
规格	DIAMETER	M6	M6
重量	WEIGHT	6.3g	6.3g




S11

材质	MATERIAL	铝CNC加工	AL CNC Machined
表面	FINISH	阳极	AD
规格	DIAMETER	M6	M6
重量	WEIGHT	8.5g	8.5g



S11C

材质	MATERIAL	铝CNC加工	AL CNC Machined
表面	FINISH	阳极	AD
规格	DIAMETER	M6	M6
重量	WEIGHT	8.2g	8.2g



S13

材质	MATERIAL	铝CNC加工	AL CNC Machined
表面	FINISH	阳极	AD
规格	DIAMETER	M6	M6
重量	WEIGHT	7.6g	7.6g



S16

材质	MATERIAL	铝CNC加工	AL CNC Machined
表面	FINISH	阳极	AD
规格	DIAMETER	M6	M6
重量	WEIGHT	6g	6g



S17

材质	MATERIAL	铝CNC加工	AL CNC Machined
表面	FINISH	阳极	AD
规格	DIAMETER	M6	M6
重量	WEIGHT	6g	6g



S19

材质	MATERIAL	铝CNC加工	AL CNC Machined
表面	FINISH	阳极	AD
规格	DIAMETER	M6	M6
重量	WEIGHT	4.6g	4.6g



S20

材质	MATERIAL	铝CNC加工	AL CNC Machined
表面	FINISH	阳极	AD
规格	DIAMETER	M6	M6
重量	WEIGHT	6.2g	6.2g



S22

材质	MATERIAL	铝CNC加工	AL CNC Machined
表面	FINISH	阳极	AD
规格	DIAMETER	M6	M6
重量	WEIGHT	8.5g	8.5g



S23-1

材质	MATERIAL	铝CNC加工	AL CNC Machined
表面	FINISH	阳极	AD
规格	DIAMETER	M6	M6
重量	WEIGHT	5.2g	5.2g



S26


材质	MATERIAL	铝CNC加工	AL CNC Machined
表面	FINISH	阳极	AD
规格	DIAMETER	M6	M6
重量	WEIGHT	8.5g	8.5g



型号 (Model)	前叉立管 (Steer)	前叉立管外径 (Steer ID)	固定装置 (Fixing Device)	顶盖 (Cap)	重量 (Weight)
SD10	1-1/8" AL	Ø25.4	太阳花 (Star-nut)	AL CNC Machined	40.3g
SD11	1-1/8" AL	Ø25.4	太阳花 (Star-nut)	AL CNC Machined	28.3g
SD11B	1" AL	Ø22.2	太阳花 (Star-nut)	AL CNC Machined	26g
SD582	1.5" AL	Ø34	太阳花 (Star-nut)	AL CNC Machined	43.3g
SD11MC	1-1-1/8" AL	Ø22.2-Ø23.6	膨胀花 (Spring/grooved expansion nut)	AL CNC Machined	58.8g
SD11MC2	1-1-1/8" AL	Ø22.2-Ø23.6	膨胀花 (Spring/grooved expansion nut)	AL CNC Machined	66.9g



D01/DS01



D01T/DS01T



D02



D03



D04



D05



D06



D07



D08



D09



D10




D91

MODEL	SPECIFICATIMNS	MATERIAL	HEIGHT	WEIGHT
DS01	1"	ALUMINUM	2mm/5mm/10mm/15mm/20mm/30mm 50mm/100mm/200mm	10mm;6.5g
D01	1-1/8"	ALUMINUM	2mm/5mm/10mm/15mm/20mm/30mm 50mm/100mm/200mm	10mm;4g
DS01T	1"	CAROB 3K	2mm/5mm/10mm/15mm/20mm/30mm	10mm;3.9g
D01T	1-1/8"	CAROB 3K	2mm/5mm/10mm/15mm/20mm/30mm	10mm;2.5g
D02	1-1/8"	ALUMINUM	5mm/10mm/15mm/20mm	10mm;6.4g
D03	1-1/8"	ALUMINUM	10mm/15mm/20mm	10mm;4g
D04	1-1/8"	ALUMINUM	5mm/10mm/15mm/20mm/25mm/30mm	10mm;3.7g
D05	1-1/8"	ALUMINUM	5mm/10mm/15mm/20mm/25mm/30mm	10mm;3.7g
D06	1-1/8"	ALUMINUM	5mm/10mm/15mm/20mm/25mm/30mm	10mm;4g
D07	1-1/8"	ALUMINUM	10mm/15mm	10mm;3.5g
D08	1-1/8"	ALUMINUM	5mm/10mm/15mm/20mm/25mm/30mm	10mm;4.3g
D09	1" -1-1/8"	ALUMINUM	5mm/10mm/15mm/20mm	10mm;5.5g
D10	1-1/8"	ALUMINUM	5mm/10mm/15mm/20mm	10mm;6g
DK01	Ø35XØ42XØ24XØ32	ALUMINUM	1mm/2mm/2.5mm/3mm/5mm/10mm	10mm;12g

座管变径套
Seat Post Adapter

BZ01

材质 MATERIAL 铝 Aluminum



规格 (Model)	A	B	C	L
Ø25.4-Ø27.2	Ø25.4	Ø27.2	Ø28.5	60
Ø25.4-Ø28.6	Ø25.4	Ø28.6	Ø30	60
Ø25.4-Ø31.6	Ø25.4	Ø31.6	Ø34	60
Ø25.4-Ø28.6	Ø27.2	Ø28.6	Ø30	60
Ø25.4-Ø30.1	Ø27.2	Ø30.1	Ø32.5	60
Ø25.4-Ø30.8	Ø27.2	Ø30.8	Ø32.5	60
Ø25.4-Ø31.6	Ø27.2	Ø31.6	Ø34	60
Ø25.4-Ø33.9	Ø27.2	Ø33.9	Ø36	60
Ø25.4-Ø31.6	Ø29.2	Ø31.6	Ø34	60
Ø25.4-Ø34.9	Ø34	Ø34.9	Ø37.5	60
Ø31.8-Ø34.9	Ø31.8	Ø34.9	Ø36.5	60
Ø27.2-Ø31.8	Ø27.2	Ø31.8	Ø33.5	60
Ø34-Ø36	Ø34	Ø36	Ø38.5	80



BB Conversion Adapter
BB 五通转换中轴

材质 MATERIAL 铝 Aluminum



BB Adapter Parameter Table
BB 五通尺寸

规格 (Model)	规格 (Diameter)	尺寸 (Size)	重量 (Weight)
B4268	Ø42-68mm	1.37X24T	71g
B4273	Ø42-73mm	1.37X24T	81g
B4668	Ø46-68mm	1.37X24T	120g
B4673	Ø46-73mm	1.37X24T	130g

可调BB适配器适用于协力自行车
Adjustable BB Adapter Special Trandem Bicycle

B68K

尺寸	SIZE	Ø54/Ø68	Ø54/Ø68
材质	MATERIAL	铝	Aluminum
牙纹规格	THREAD	BC1.37"X24T	BC1.37"X24T
重量	WEIGHT	126g	126g



碗组装配工具
Headsets Assembly Tool




GT160

尺寸	SIZE	1"/1-1/8"/1-1/2"	1"/1-1/8"/1-1/2"
材质	MATERIAL	40铬钼钢	40 Ro
表面处理	FINISH	黑色,镀铬	BK,CP

Use steps:
1 → 2 → 3 → 4 → 5 → 6




碗组安装工具
Headsets Installation Tool



GT100

尺寸	SIZE	1"/1-1/8"/1-1/2"	1"/1-1/8"/1-1/2"
材质	MATERIAL	40铬钼钢	40 Ro
表面处理	FINISH	黑色,镀铬	BK,CP

Use steps:
1 → 2 → 3 → 4 → 5 → 6




碗组拆卸工具
Headsets Removal Tool



GT80

尺寸	SIZE	1"/1-1/8"/1-1/2"	1"/1-1/8"/1-1/2"
材质	MATERIAL	40铬钼钢	40 Ro
表面处理	FINISH	黑色,镀铬	BK,CP

Use steps:
1 → 2 → 3



GT80S

中轴拆卸工具
BB Cup Removal Tool

脚踏

碗组

中轴

配件

指南

下塞安装工具
Crown Race Setting Tool



GT220

尺寸	SIZE	1"/1-1/8"/1-1/2"	1"/1-1/8"/1-1/2"
材质	MATERIAL	40铬钼钢	40 Ro
表面处理	FINISH	黑色,镀铬	BK,CP




中轴安装工具
BB Installation Tool



GT106

适用产品	APPLY STYLE	B92/B30	B92/B30
材质	MATERIAL	40铬钼钢	40 Ro
表面处理	FINISH	黑色,镀铬	BK,CP



中轴拆卸工具
BB Removal Tool



太阳花安装工具
Star Nut Setting Tool



GT15

尺寸	SIZE	1"/1-1/8"/1-1/2"	1"/1-1/8"/1-1/2"
材质	MATERIAL	40铬钼钢	40 Ro
表面处理	FINISH	黑色,镀铬	BK,CP



牙碗扳手
Cup Wrench

GT61


材质	MATERIAL	40铬钼钢	40 Ro
表面处理	FINISH	镀铬	CP

GT62




BB 横截面/分解图


BB CROSS-SECTION DRAWING




中轴安装图解

Bottom Bracket Assembly







A尺寸	B尺寸	C尺寸	D尺寸
Ø36	Ø30	Ø30	1"=25.4mm
Ø36	Ø30.2	Ø30.2	1"=25.4mm
Ø38	Ø32.5	Ø32.5	1"=25.4mm
Ø41	Ø34	Ø34	1-1/8"=28.6mm
Ø45	Ø40	Ø40	1-1/8"=28.6mm
Ø46	Ø41.4	Ø41.4	1-1/8"=28.6mm
Ø50	Ø44	Ø44	1-1/8"=28.6mm/1-1/4"=31.8mm
Ø55	Ø49.7	Ø49.7	1-1/2"=39.8mm



A尺寸	B尺寸	C1尺寸	E尺寸
Ø36	Ø30	Ø30	1"=26.4-27mm
Ø36	Ø30.2	Ø30.2	1"=26.4-27mm
Ø38	Ø32.5	Ø32.5	1"=26.4-27mm
Ø41	Ø34	Ø34	1-1/8"=30mm
Ø45	Ø40	Ø40	1-1/8"=30mm
Ø46	Ø41.4	Ø41.4	1-1/8"=30mm
Ø50	Ø44	Ø44	1-1/8"=30mm
Ø55	Ø49.7	Ø49.7	1-1/8"/ 1.5"=30-39.8mm
Ø56	Ø50	Ø50	1-1/8"=30mm
Ø56	Ø50.5	Ø50.5	1-1/8"/ 1-1/4"=30-33mm
Ø61	Ø55	Ø55	1-1/8"/ 1.5"=30-39.8mm
Ø62	Ø56	Ø56	1-1/8"/ 1.5"=30-39.8mm



轴承	M尺寸	K尺寸	H
HP03	Ø41	Ø30.15	6.5mm
HP08	Ø41.8	Ø30.15	6.5mm
HP08H7	Ø41.8	Ø30.15	7mm
HP08H8	Ø41.8	Ø30.5	8mm
HP09	Ø38	Ø27.15	6.3mm
HP15H8	Ø51	Ø40	8mm
HP16	Ø52	Ø40	7mm
HP16H8	Ø52	Ø40	8mm
HP22	Ø46.9	Ø34	7mm
HP18H8	Ø51.8	Ø40 (36°)	8mm
HP19	Ø49	Ø37	7mm
HP27	Ø41.8	Ø32.8	6mm



F尺寸	G尺寸	M尺寸	E尺寸
Ø46	Ø41.1	Ø41	1-1/8"=30mm
Ø47	Ø42	Ø41.8	1-1/8"=30mm
Ø52	Ø47	Ø46.8	1-1/8"/ 1-1/4"=30-33mm
Ø55	Ø49.1	Ø49	1-1/8"/ 1-1/4"=30-33mm
Ø56	Ø51.2	Ø51	1-1/8"/ 1.5"=30-39.8mm
Ø56	Ø52	Ø51.8	1-1/8"/ 1.5"=30-39.8mm
Ø56	Ø52.2	Ø52	1-1/8"/ 1.5"=30-39.8mm

膨胀花安装步骤/Top cover installation steps for carbon fiber front fork

- 1、选择一个合适前叉尺寸的膨胀花
Choose an appropriate top cover set according to the different size of front fork.
- 2、若是碳纤维前叉一般选用膨胀花，把膨胀花螺丝松到可以放进前叉立管。如图1
Generally, expansion nut set are compatible for carbon fiber front fork, loosen the screw of the set to proper degree and put the expansion nut set into front fork tube. see fig.1
- 3、再用6mm扳手把螺丝锁紧。如图2
Tighten the screw with 6mm wrench, see fig.2
- 4、取一与前叉立管相对应的把立，拧入工具螺纹处，通常把立比头管高3-5mm。如图3
Put the front fork tube into stem and fasten it. Generally, the up side of the stem must be about 3-5 mm higher than the tube, see fig. 3
- 5、用M6扳手锁紧顶盖的螺丝。如图4，图5
Tighten the top cover with 6mm socket bolt and screw. see fig.4,5
- 6、调整车把和把立的角度，锁紧螺丝。如图6，图7
Adjusting the angle of handle bar and fasten the bolt of stem see fig.6,7



太阳花安装步骤/Top cover installation steps for ordinary front fork

- 1、选择一个合适前叉尺寸的太阳花并用专门的锁太阳花工具。如图1
Pick an appropriate star nut set according to front fork tube size and screw it into star nut tool, see fig 1
- 2、用工具把太阳花芯打到前叉立管并保持垂直。如图2
Put the tool into front fork tube and keep them in a straight line. see fig.2
- 3、用铁锤击打工具顶部，直到太阳花沉至与立管端口15mm左右。如图3，图4
Hammer the head of the tool until the star nut sink into the tube about 15mm from its edge, see fig 3.4
- 4、取一与前叉立管相对应的把立，拧入工具螺纹处，通常把立比头管高3-5mm。如图3
Put the front fork tube into stem and fasten it. Generally, the up side of the stem must be about 3-5 mm higher than the tube, see fig.5
- 5、用M6扳手锁紧顶盖的螺丝。如图6，图7
Tighten the top cover with 6mm socket bolt and screw, see fig.6,7
- 6、调整车把和把立的角度，锁紧螺丝。如图8，图9
Adjusting the angle of handle bar and fasten the bolt of stem, see fig 8,9



碗组装配分解图



GT-82



GT-220



GT-15


下碗
轴承
底档



防水油封



防水油封




橡胶帽
螺丝
上顶盖
太阳花


把立

垫圈
上盖
束子
轴承
上碗


K349




K302




PD15




K320




K203




K306




K602




K618



P30




P16



3培林
3 Bearings



大轴承+DU
Oversize Bearing+DU




2培林+DU
2 Bearing+DU



无珠
Loose Ball



套筒+密封轴承+DU
Bushing+Sealed Bearing+DU



2DU



培林+DU
Bearing+DU



滚珠
Needle Bearing



去
超越
在每一条
赛道

KEEP ON GOING NEVER GIVE UP