AD TUNED®

INGS BUS S S 2 3 CATALOG STEFR

inisto

AD TUNED®

CEO ND TUNED Nuno Duarte



For many years connected to this field, the entrepreneur Nuno Duarte founded ND Tuned to design innovative solutions using all his know-how and experience of over 15 years in BMX, XC, and DH national and international

Kuno Duarte

competitions.

\Box

COMPANY

ND Tuned is a company that specializes in all types of suspension forks and rear shocks.

ND Tuned activity focuses not only on service assistance but also on the design and development of exclusive products.

ND Tuned develop patented technology for extreme off-road conditions such as XC, DH, Motocross, and Enduro.



HISTORY

Founded in 2013, with over 15 years of experience, ND Tuned was the pioneer in Portugal in the field of service assistance and the development of new and patented technologies and products.

ND Tuned arises from the need of athletes to benefit from a technical assistance service that, until then, was only available to professional athletes.




ND TUNED TECHNOLOGY

OVR - Fork damper with 100% pneumatic system without the need for any lockout or remote control.

 $\ensuremath{\mathsf{HLSRC}}$ - Patented technology that uses low and high-speed flow channels for compression and rebound.







ove DAMPER

- OVR damper control with automatic platform anti-bumping
- Oil-free



- 32mm aluminum stanchions
- Hard coated treatment
- Black with printed logo
- Press fit system that allows the stanchions replacement on the carbon crown





- Air spring integrated on damper system reduces the arch torsion
- Increase lateral fork stiffness
- Adjustable positive and negative chamber size for progressivity fork tune
- Increase ride accuracy

SLIDING

bushing

- Sliding bushing guide to reduce the bending effect under braking
- Increase chassis stiffness

bath lube

- Open oil bath for legs lubrification
- Stanchion damage reduced
- Increase fork lifetime

XC FORK

HUNTER



29" FORK ON THE MARKET

100mm FORK TRAVEL

from 930 to 950 gr

120MM FORK TRAVEL from 960 to 990 gr

FIRST CHASSIS

LOWER LEGS CONSTRUCTION

rear shock



REAR SHOCK WITH PATENTED TECHNOLOGY

The customized configuration is according to the needs and driving style of the rider and the bicycle operating system.

technology the lightest

HLSRC REAR SHOCK ON THE MARKET



HLSRC DH 2XRC3 VALVE

100% CNC high machined performance

WEIGHT

344g * Measured weight 240 × 76 without spring

DIMENSIONS

222×70 240×76 267×89

EXTERNAL SETTINGS

High and low speed compression Rebound

SPRING REGULATION

Preload

MATERIAL

Aluminum 7050 / 7075 **CNC Machined**

FINISHING

Standard anodize Hardcoat anodize





SHOCK ABSORBER ND TUNED DH 2XRC3 216MM

ND-200-SA216 *Spring not included

SHOCK ABSORBER ND TUNED DH 2XRC3 222MM

ND-200-SA222 *Spring not included

SHOCK ABSORBER ND TUNED DH 2XRC3 240MM

ND-200-SA240 *Spring not included





SHOCK ABSORBER TOOLS

ND-090-120 Tool for DH 2xRC3 service



HIGH SPEED TUNER KEY

ND-200-SA056



OVR FOR ROCKSHOX FORKS



OVR ROCKSHOX [SID/REBA] 26" X 100MM

ND-300-OVR260

OVR ROCKSHOX [SID/REBA] 29" X $100MM \le 2016$

ND-300-OVR290

OVR ROCKVSHOX [SID/REBA] 29" X 100MM

ND-300-OVR29017

OVR ROCKSHOX [SID/REBA] 29" X 100MM DUAL AIR

ND-300-OVR290DA

OVR ROCKSHOX [RS1] 29" X 100MM

ND-300-OVR290R1

OVR ROCKVSHOX [SID SELECT 2022] 29" X 100MM

ND-300-OVR29021

OVR FOR FOX FORKS



OVR FOX SC 29" X 100MM

ND-300-OVR-FSC

OVR FOX 29" X 100MM [PERFORMANCE / FACTORY] 2016

ND-300-OVR-F16

OVR FOX 29" X 100MM [PERFORMANCE / FACTORY] < 2016

ND-300-OVR-F

OVR SERVICE KITS







OVR MAIN SERVICE KIT ND-300-OVR-100



OVR REBOUND KIT ND-300-OVR-101



OVR ADJUST KIT ND-300-OVR-102

intelligent



WINNER

AWARD 2016

the lightest system in the MARKET

ecological
MEDIUM REDUCTION OF
OIL AMOUNT BY 80%

CONSISTENT PERFORMANCE
INDEPENDENTLY OF WORKING
TEMPERATURE AND HOURS

increased
USABLE TRAVEL 15/20 %

maintenance costs reduction about 40 %



OVR is a system that applies resistance to low-speed compression movement.

The OVR does not fully lock the fork, only partial. The main objective of the OVR damper is to find a good compromise between fork comfort and anti-oscillation / pedaling efficiency without changing its tuning.

100 % pneumatic damping system.

WEIGHT

78g * 29" damper

EXTERNAL SETTINGS

Compression: OVR (Opening Valve Resistance) 12 clicks available Rebound

18 clicks available

MATERIAL

7050 / 7075 Aluminium

COMPATIBILITY

Rock Shox 26 / 27.5 / 29 ° 100 mm travel SID / REBA / Brain / RS1

Fox 27.5 / 29 " 100 mm travel 32 StepCast / 32 series

FINISHING

Black hardcoat anodize



XC CARBON STEERER TUBE

ND-088-909

Recommended for maximum 120mm travel forks



SIZE

Tapered - 1 1/2" - 1 1/8" Weight: approx. 94 grams Height: 27 cm

MATERIAL

Carbon, Aluminum 7050

FINISHING

Raw Carbon, Anodizing



EXC CARBON STEERER TUBE

ND-088-911







XC STEERER TUBE

ND-088-907

Recommended for maximum 100mm travel forks

SIZE

Tapered - 1 1/2" - 1 1/8" Weight: 142 grams Height: 29 cm

MATERIAL Aluminum 7050

FINISHING Anodizing



EXC STEERER TUBE

ND-088-908

More resistant, special for enduro 180mm travel forks

SIZ

Tapered - 1 1/2" - 1 1/8" Weight: 202 grams Height: 29 cm

MATERIAL

Aluminum 7050

FINISHING Anodizing



E-BIKE STEERER TUBE

ND-088-910

More resistant, special for enduro e-bikes. Up to 190mm travel forks.

SIZE

Tapered - 11/2" - 11/8" Weight: 222 grams Height: 29 cm MATERIAL Aluminum 7050

FINISHINGAnodizing



1 1/8" STEERER TUBE

ND-088-900

Recommended for forks with: 26" - maximum travel 140mm 27,5" - maximum travel 120mm 29" - maximum travel 100mm

SIZE

1 1/8"

Weight: 188 grams Height: 29 cm

MATERIAL

Aluminum 7050

FINISHINGAnodizing

CONVERT A TAPERED TO A 1 1/8" FORK

FOX STEERER TUBE REDUCER 19,3MM

ND-088-940

For Fox forks with crown interior fitting 19,3mm



FOX STEERER TUBE REDUCER 26MM

ND-088-934

For Fox forks with crown interior fitting 26mm



RS STEERER TUBE REDUCER 21,8MM


ND-088-930

For RockShox forks with crown interior fitting 21,8mm



RS STEERER TUBE REDUCER 22.8MM

ND-088-931



RS STEERER TUBE REDUCER 23.8MM

ND-088-932



RS STEERER TUBE REDUCER 24.8MM

ND-088-933

For RockShox forks with crown interior fitting 24,8mm





With an exclusive design, the ND Tuned Stanchions are designed to replace damaged or worn stanchions.

ND Tuned Stanchions have an anodizing treatment with a thickness of 40 microns, which allows them to achieve greater durability, resistance to wear, stiffness, and sliding capacity. MATERIAL
FINISHING
Aluminum 7050
Anodizing



COMPATIBILITY
32mm Fox 32 Series - 26" [from before 2015]



32MM FOX F32 STANCHION

ND-088-307

COMPATIBILITY
32mm FOX 32 Series Float - 27.5°
32mm FOX Talas - 26°
32mm FOX 32 Series Float - 29°
[2016 - now]



32MM FOX F32 SOLO AIR STANCHION

ND-088-310

COMPATIBILITY
32mm FOX 32 Series Float - 27.5"
32mm FOX Talas - 26"
32mm FOX 32 Series Float - 29"
[2016 - now]



32MM FOX F32 29" STANCHION

ND-088-305

COMPATIBILITY

32mm FOX 32 Series Float - 29"
[from before 2015]



32MM FOX STEPCAST STANCHION

ND-088-308

32MM FOX STEPCAST SOLO AIR STANCHION

ND-088-309

COMPATIBILITY

32mm FOX StepCast - 27,5" 29"



32MM ROCKSHOX STANCHION

ND-088-120

32MM ROCKSHOX SOLO AIR STANCHION

ND-088-122

COMPATIBILITY

32mm RockShox - 26" 27,5" 29" [up to 2017]



35MM ROCKSHOX SOLO AIR STANCHION

ND-088-125

ND-088-124

COMPATIBILITY
35mm RockShox forks



36MM FOX STEPCAST STANCHION

ND-088-311

36MM FOX STEPCAST SOLO AIR STANCHION

ND-088-312

COMPATIBILITY
36mm Fox forks



MATERIAL

NBR

INCLUDES

2 x ND Tuned Dual Dust Wiper*

2 x Foam Ring*

2/3 x Crush Washer*

1 x Travel indicator O-ring





30MM SEALS KIT

ND-100-130



32X41MM SEALS KIT

ND-100-132-1



32X42MM SEALS KIT

ND-100-132



32X42MM FLANGED SEALS KIT

ND-100-132-L



CANNONDALE LEFTY 32 HYBRID SEAL

ND-100-132-LH



34MM SEALS KIT

ND-100-134



35MM SEALS KIT

ND-100-135



35X44MM SEALS KIT

ND-100-135-1



36MM SEALS KIT

ND-100-136



36X45MM SEALS KIT

ND-100-136-1



38MM SEALS KIT

ND-100-138



40MM SEALS KIT

ND-100-140



ROCKSHOX REVERB SERVICE KIT

ND-130-001

INCLUDES

1 x ND Tuned RS Reverb Seal 1 x ND Tuned IFP + 4 x O-rings 1 x Upper + 1 x Lower Bushing 1 x Upper + 1 x Lower Foam Ring

COMPATIBILITY

RockShox Reverb seatpost A1/A2 B1/B2

MATERIAL

NBR, POM, iglidur® J3



ROCKSHOX REVERB SEAL KIT

ND-130-002

INCLUDES

1 x ND Tuned RS Reverb Seal, 1 x Upper + 1 x Lower Foam Ring

COMPATIBILITY

RockShox Reverb seatpost A1/A2 B1/B2

MATERIAL

NBR



SPECIALIZED COMMAND POST SEAL KIT

ND-130-003

INCLUDES

1 x ND Tuned Dual Dust Wiper Specialized Command Post 4 x O-ring

MATERIAL

NBR

bushings



REAR SHOCK EYELET BUSHING ½"

ND-110-000 MATERIAL iglidur® J3



BUSHING KIT 6X22X12,7MM

ND-110-001
INCLUDES
Set of 6 pieces



BUSHING KIT 8X22X12,7MM

ND-110-002
INCLUDES
Set of 6 pieces



BUSHING KIT 8X40X12,7MM

ND-110-003

INCLUDES
Set of 6 pieces



REAR SHOCK EYELET BUSHING ½" CANE CREEK / OHLINS

ND-110-005 **MATERIAL** iglidur® J3



BUSHING KIT 8x22x12,7mm Cane Creek / Ohlins

ND-110-004

INCLUDES
Set of 6 pieces



FORK BUSHINGS

Made of resistant and durable material, iglidur \otimes E allows an increase in the life span. Helical slots provide efficient oil flow and maintain lubrication.

INCLUDES
Set of 4 pieces

MATERIAL iglidur® E

- Low coefficient of friction
- Wear-resistant material

Vibration-dampening



BUSHING KIT FOX 32 ND-110-013



BUSHING KIT ROCKSHOX 32 [2010-2016] ND-110-016



BUSHING KIT ROCKSHOX 32 [2017-CURRENT] ND-110-014



BUSHING KIT ROCKSHOX 35 ND-110-100

accessories



SPECIALIZED BRAIN Cartridge IFP With thru internal shaft

ND-120-010



SPECIALIZED BRAIN CARTRIDGE IFP

ND-120-011



SCOTT DT SWISS Equalizer 2 IFP

ND-120-013



IFP FORK SPECIALIZED FUTURE SHOCK 19 MM

ND-120-014



SCOTT TC SHOCK BODY

ND-120-050



SHAFT EXTENDER 20MM

ND-120-051



RACORD SPECIALIZED EPIC 2009

ND-120-052



INFLATOR NEEDLE ND TUNED

ND-090-124



CHARGER REMOTE KIT SPRING AND SEAL

ND-120-103



ROCKSHOX MONARCH RL SHAFT 165

ND-120-200



ROCKSHOX SID CHARGER 2.1 PISTON BOLT

ND-120-101



ROCKSHOX SID CHARGER 2.2 PISTON BOLT

ND-120-102



FOX RP 2/3/23 PISTON BOLT

ND-120-110

rear shock

SERVICE KITS



FOX RP 23 BV PISTON BOLT

ND-120-111



FOX RPL PISTON BOLT

ND-120-112



FOX CTD PISTON BOLT

ND-120-113



ROCKSHOX MONARCH/R/RL/XX/ Plus Main Service Kit

ND-130-010



ROCKSHOX Deluxe / Nude Main Service Kit

ND-130-013



ROCKSHOX Super deluxe Main service kit

ND-130-014



FOX / ROCKSHOX Micro-Brain Main Service Kit

ND-130-012



FOX FLOAT Main Service Kit

ND-130-011



FOX FLOAT X2 Main Service Kit

ND-130-015







FULL REPLACEMENT TOOL KIT

ND-090-130

INCLUDES

- 1 x Toolbox
- 1 x Steerer tube replacement toolset
- 1 x Stanchion replacement tool kit 32mm
- 1 x Stanchion replacement tool kit 34mm
- 1 x Stanchion replacement toolset 35mm
- 1 x Stanchion replacement toolset 36mm
- 1 x Stanchion replacement toolset 38mm
- 1 x Bushing replacement toolset 32mm
- x Bushing replacement toolset 34mm
- 1 x Bushing replacement toolset 35mm 1 x Bushing replacement toolset 36mm
- 1 x Bushing replacement toolset 38mm
- 1 x Bushing replacement toolset 40mm
- 1 x Bushing rectifier 32mm



32MM STANCHION & STEERER TUBE REPLACEMENT TOOL KIT

ND-090-100

INCLUDES

- 1 x Toolbox
- 1 x Steerer tube replacement toolset
- 1 x Stanchion replacement toolset 32mm



34 MM STANCHION TOOL KIT

ND-090-104

35 MM STANCHION TOOL KIT

ND-090-105

36 MM STANCHION TOOL KIT

ND-090-106

38 MM STANCHION TOOL KIT

ND-090-113



32MM BUSHING REMOVAL & INSTALLATION **TOOL KIT**

ND-090-101

INCLUDES

1 x 32 mm Bushing Removal & Installation Tool Kit 1 x 32 mm Bushing Rectifier





34MM BUSHING TOOL KIT

ND-090-109

35MM BUSHING TOOL KIT

ND-090-103

36MM BUSHING TOOL KIT

ND-090-110

38MM BUSHING TOOL KIT

ND-090-111

40MM BUSHING TOOL KIT

ND-090-112



32 MM BUSHING RECTIFIER

ND-090-102

35 MM BUSHING RECTIFIER

ND-090-107

36 MM BUSHING RECTIFIER

ND-090-108



custom forks

YOU IMAGINE we create

We develop custom forks adapted to the customer's requirements.

- Concept
- 3D design
- Development
 - Prototype
 - Testing
 - Certification
- Manufacturing




valves



Dual-flow motorcycle valves developed for extreme off-road conditions

Technology patented by ND Tuned, which allows you to adjust more effectively the shock absorbers and suspensions to Off-Road conditions



- A Low-Speed Circuit
- B High-Speed Circuit

The low-speed orifices have a reduced oil flow capacity for slow circulation. When the maximum flow capacity is reached, it also passes through the high-speed orifices. This feature allows obtaining differential between low speed and high speed of compression adapted to the needs of each pilot.





28/6 HLSC VALVE KIT

ND-074-015

INCLUDES

2 x HLSC 28/6 ND Tuned valves 1 x Compression shim stack kit



46/12 HLSRC VALVE KIT

ND-074-032

INCLUDES

1 x HLSRC 46/12 ND Tuned valves
1 x Compression and rebound shim stack kit
1 x o-ring
1 x piston ring



50/12 HLSRC VALVE KIT

ND-074-030

INCLUDES

1 x HLSRC 50/12 ND Tuned valves 1 x Compression and rebound shim stack kit 1 x o-ring 1 x piston ring





4C HLSC VALVE KIT

ND-074-017

INCLUDES

2 x HLSC 4C ND Tuned valves 1 x Compression shim stack kit



50/16 HLSRC VALVE KIT

ND-074-031

INCLUDES

1 x HLSRC 50/16 ND Tuned valves 1 x Compression and rebound shim stack kit 1 x o-ring 1 x piston ring





Internal pneumatic reinforcement at the original coil spring according to the driver's needs.

Pneumatic reinforcement reduces the vehicle's bouncing effect on cornering at road and off-road without loss of comfort.

Vehicle dynamics increase significantly in all conditions, making drive more intuitive, accurate, easier, more confident to drive faster...

MAINTENANCE AND SETTINGS RE-PROGRAMMING

respound ADJUSTMENT



ND TUNED SERVICE PORTAL


www.ndtuned.com/service





ND TUNED B2B RETAILERPORTAL

www.ndtuned.com/b2b



N. DUARTE UNIPESSOAL, LDA

Rua Ribeira de Caceira, N14 - Caceira 3090-398 Figueira da Foz, PORTUGAL

MOBILE +351 926 928 464
PHONE +351 233 425 265
geral@ndtuned.com
WWW.NDTUNED.COM